


## ENO1 (Human) Recombinant Protein (Q01)

Catalog # H00002023-Q01 Size 25 ug, 10 ug

### Applications



Specification	
Product Description	Human ENO1 partial ORF ( NP_001419, 325 a.a 434 a.a.) recombinant protein with GST-tag at N- terminal.
Sequence	PKRIAKAVNEKSCNCLLLKVNQIGSVTESLQACKLAQANGWGVMVSHRSGETEDTFIADLVVGLC TGQIKTGAPCRSERLAKYNQLLRIEEELGSKAKFAGRNFRNPLAK
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	37.84
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCI, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

#### Applications

Copyright © 2023 Abnova Corporation. All Rights Reserved.



- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — ENO1	
Entrez GenelD	2023
GeneBank Accession#	<u>NM_001428</u>
Protein Accession#	<u>NP_001419</u>
Gene Name	ENO1
Gene Alias	ENO1L1, MBP-1, MPB1, NNE, PPH
Gene Description	enolase 1, (alpha)
Omim ID	<u>172430</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes one of three enolase isoenzymes found in mammals; it encodes alpha-enolas e, a homodimeric soluble enzyme, and also encodes a shorter monomeric structural lens protein, tau-crystallin. The two proteins are made from the same message. The full length protein, the isoe nzyme, is found in the cytoplasm. The shorter protein is produced from an alternative translation st art, is localized to the nucleus, and has been found to bind to an element in the c-myc promoter. A pseudogene has been identified that is located on the other arm of the same chromosome. [provi ded by RefSeq
Other Designations	2-phospho-D-glycerate hydro-lyase MYC promoter-binding protein 1 OTTHUMP00000001706 alp ha enolase like 1 enolase 1 non-neural enolase phosphopyruvate hydratase tau-crystallin

### Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine

# 😵 Abnova

- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- <u>Glycolysis / Gluconeogenesis</u>
- Metabolic pathways
- RNA degradation

#### Disease

<u>Myocardial Infarction</u>