


MaxPab®

F3 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00002152-D01P


Size 100 ug

Applications




Western Blot (Tissue lysate)

F3 MaxPab rabbit polyclonal antibody. Western Blot analysis of F3 expression in mouse liver.



Western Blot (Tissue lysate)

F3 MaxPab rabbit polyclonal antibody. Western Blot analysis of F3 expression in human kidney.



Western Blot (Transfected lysate)

Western Blot analysis of F3 expression in transfected 293T cell line ([H00002152-T01](#)) by F3 MaxPab polyclonal antibody.

Lane 1: F3 transfected lysate(33.10 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description

Rabbit polyclonal antibody raised against a full-length human F3 protein.

Immunogen	F3 (AAH11029.1, 1 a.a. ~ 295 a.a) full-length human protein.
Sequence	METPAWPRVPRPETAVARTLLLGWVFAQVAGASGTTNTVAAYNLTWKSTNFKTILEWEPKPVNQ VYTVQISTKSGDWKSKCFYTTDTECDLTDEINKDVKQTYLARVFSYPAGNVESTGSAGEPLYENS PEFTPLYETNLGQPTIQSFEQVGTKVNVTVEDERTLVRRNNTFLSLRDVFGKDLMTLYYWKSSSS GKKTAKTNTNEFLIDVDKGENYCFSVQAVIPSRTVNRKSTDSPVECMGQEKGEFREIFYIGAVVFV VILVILAILSLHKCRKAGVGQSWKENSPLNVS
Host	Rabbit
Reactivity	Human, Mouse
Interspecies Antigen Sequence	Mouse (55); Rat (55)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

F3 MaxPab rabbit polyclonal antibody. Western Blot analysis of F3 expression in mouse liver.

[Protocol Download](#)

- Western Blot (Tissue lysate)

F3 MaxPab rabbit polyclonal antibody. Western Blot analysis of F3 expression in human kidney.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of F3 expression in transfected 293T cell line ([H00002152-T01](#)) by F3 MaxPab polyclonal antibody.

Lane 1: F3 transfected lysate(33.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — F3

Entrez GeneID [2152](#)

GeneBank Accession#	NM_001993
Protein Accession#	AAH11029.1
Gene Name	F3
Gene Alias	CD142, TF, TFA
Gene Description	coagulation factor III (thromboplastin, tissue factor)
Omim ID	134390
Gene Ontology	Hyperlink
Gene Summary	This gene encodes coagulation factor III which is a cell surface glycoprotein. This factor enables cells to initiate the blood coagulation cascades, and it functions as the high-affinity receptor for the coagulation factor VII. The resulting complex provides a catalytic event that is responsible for initiation of the coagulation protease cascades by specific limited proteolysis. Unlike the other cofactors of these protease cascades, which circulate as nonfunctional precursors, this factor is a potent initiator that is fully functional when expressed on cell surfaces. There are 3 distinct domains of this factor: extracellular, transmembrane, and cytoplasmic. This protein is the only one in the coagulation pathway for which a congenital deficiency has not been described. [provided by RefSeq]
Other Designations	OTTHUMP00000012426 coagulation factor III tissue factor

Pathway

- [Complement and coagulation cascades](#)

Disease

- [Acute Disease](#)
- [Alzheimer disease](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Carotid Stenosis](#)
- [Chorioamnionitis](#)
- [Coronary Thrombosis](#)

- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Hemorrhage](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Myocardial Ischemia](#)
- [Neoplasms](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Postoperative Complications](#)
- [Pre-Eclampsia](#)
- [Premature Birth](#)
- [Renal Insufficiency](#)
- [Stroke](#)
- [Thrombosis](#)
- [Vascular Diseases](#)
- [Werner syndrome](#)