


FGF8 monoclonal antibody (M04), clone 3B10

Catalog # H00002253-M04

Size 100 ug

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FGF8 is approximately 1ng/ml as a capture antibody.

Specification

Product Description	Mouse monoclonal antibody raised against a full length recombinant FGF8.
Immunogen	FGF8 (NP_149354, 65 a.a. ~ 133 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	SRRLIRTYQLYSRTSGKHVQVLANKRINAMAEDGDPFAKLIVETDTFGSR VRVGAETGLYICMNK KGK
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (100); Rat (100)
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FGF8 is approximately 1ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

Gene Info — FGF8

Entrez GeneID [2253](#)

GeneBank Accession# [NM_033164](#)

Protein Accession# [NP_149354](#)

Gene Name FGF8

Gene Alias AIGF, HBGF-8, MGC149376

Gene Description fibroblast growth factor 8 (androgen-induced)

Omim ID [600483](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein is known to be a factor that supports androgen and anchorage independent growth of mammary tumor cells. Overexpression of this gene has been shown to increase tumor growth and angiogenesis. The adult expression of this gene is restricted to testes and ovaries. Temporal and spatial pattern of this gene expression suggests its function as an embryonic epithelial factor. Studies of the mouse and chick homologs revealed roles in midbrain and limb development, organogenesis, embryo gastrulation and left-right axis determination. The alternative splicing of this gene results in four transcript variants. [provided by RefSeq]

Other Designations OTTHUMP00000020348|OTTHUMP00000020349|OTTHUMP00000020350|OTTHUMP00000020351|androgen-induced growth factor|fibroblast growth factor 8

Pathway

- [MAPK signaling pathway](#)

- [Melanoma](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)

Disease

- [Cleft Lip](#)
- [Cleft Palate](#)
- [Hypospadias](#)