
FGF8 monoclonal antibody (M05), clone 2A11

100 ug


Catalog # H00002253-M05 Size

Applications



Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged FGF8 is approximately 0.3ng/ml as a capture antibody.



In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FGFR2 and FGF8. HeLa cells were stained with anti-FGFR2 rabbit purified polyclonal 1:1200 and anti-FGF8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Specification		
Product Description	Mouse monoclonal antibody raised against a full length recombinant FGF8.	
Immunogen	FGF8 (NP_149354, 65 a.a. ~ 133 a.a) full length recombinant protein with GST tag. MW of the GST t ag alone is 26 KDa.	
Sequence	SRRLIRTYQLYSRTSGKHVQVLANKRINAMAEDGDPFAKLIVETDTFGSR VRVRGAETGLYICMNK KGK	
Host	Mouse	
Reactivity	Human	



Product Information

Interspecies Antigen Sequence	Mouse (100); Rat (100)	
lsotype	lgG2a Kappa	
Quality Control Testing	Antibody Reactive Against Recombinant Protein.	
Storage Buffer	In 1x PBS, pH 7.4	
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	

Applications

- Sandwich ELISA (Recombinant protein)
 Detection limit for recombinant GST tagged FGF8 is approximately 0.3ng/ml as a capture antibody.
 <u>Protocol Download</u>
- ELISA
- In situ Proximity Ligation Assay (Cell)

Proximity Ligation Analysis of protein-protein interactions between FGFR2 and FGF8. HeLa cells were stained with anti-FGFR2 rabbit purified polyclonal 1:1200 and anti-FGF8 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Info — FGF8

Entrez GenelD	2253	
GeneBank Accession#	<u>NM_033164</u>	
Protein Accession#	<u>NP_149354</u>	
Gene Name	FGF8	
Gene Alias	AIGF, HBGF-8, MGC149376	
Gene Description	fibroblast growth factor 8 (androgen-induced)	
Omim ID	<u>600483</u>	
Gene Ontology	<u>Hyperlink</u>	

Abnova		A	bnova
---------------	--	---	-------

Product Information

Gene Summary	The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF f amily members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue re pair, tumor growth and invasion. This protein is known to be a factor that supports androgen and a nchorage independent growth of mammary tumor cells. Overexpression of this gene has been sh own to increase tumor growth and angiogensis. The adult expression of this gene is restricted to t estes and ovaries. Temporal and spatial pattern of this gene expression suggests its function as an embryonic epithelial factor. Studies of the mouse and chick homologs revealed roles in midbra in and limb development, organogenesis, embryo gastrulation and left-right axis determination. Th e alternative splicing of this gene results in four transcript variants. [provided by RefSeq
Other Designations	OTTHUMP0000020348 OTTHUMP0000020349 OTTHUMP0000020350 OTTHUMP000000 20351 androgen-induced growth factor fibroblast growth factor 8

Pathway

- MAPK signaling pathway
- Melanoma
- Pathways in cancer
- Regulation of actin cytoskeleton

Disease

- Cleft Lip
- <u>Cleft Palate</u>
- Hypospadias