


GH1 (Human) IP-WB Antibody Pair

Catalog # H00002688-PW1

Size 1 Set

Applications



Immunoprecipitation of GH1 transfected lysate using rabbit polyclonal anti-GH1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-GH1.

Specification

Product Description	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.
Reactivity	Human
Quality Control Testing	Immunoprecipitation-Western Blot (IP-WB) Immunoprecipitation of GH1 transfected lysate using rabbit polyclonal anti-GH1 and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-GH1.
Supplied Product	Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-GH1 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-GH1 (50 ug)
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

- Immunoprecipitation-Western Blot

[Protocol Download](#)

Gene Info — GH1

Entrez GeneID [2688](#)

Gene Name GH1

Gene Alias GH, GH-N, GHN, hGH-N

Gene Description growth hormone 1

Omim ID [139250](#) [173100](#) [262400](#) [262650](#) [604271](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the somatotropin/prolactin family of hormones which play an important role in growth control. The gene, along with four other related genes, is located at the growth hormone locus on chromosome 17 where they are interspersed in the same transcriptional orientation; an arrangement which is thought to have evolved by a series of gene duplications. The five genes share a remarkably high degree of sequence identity. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. This particular family member is expressed in the pituitary but not in placental tissue as is the case for the other four genes in the growth hormone locus. Mutations in or deletions of the gene lead to growth hormone deficiency and short stature. [provided by RefSeq]

Other Designations pituitary growth hormone

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adenocarcinoma](#)
- [Adenoma](#)
- [Alzheimer disease](#)
- [Birth Weight](#)
- [Brain Ischemia](#)

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Cardiovascular Diseases](#)
- [Cerebrovascular Accident](#)
- [Colonic Polyps](#)
- [Colorectal Neoplasms](#)
- [Diabetes Complications](#)
- [Diabetes Mellitus](#)
- [Dwarfism](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Esophagitis](#)
- [Genetic Predisposition to Disease](#)
- [Growth Disorders](#)
- [Hematologic Diseases](#)
- [Hyperplasia](#)
- [Hypertension](#)
- [Kidney Failure](#)
- [Lymphoma](#)
- [Metabolic Syndrome X](#)
- [Metaplasia](#)
- [Neoplasms](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Osteoporosis](#)

- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Schizophrenia](#)
- [Scoliosis](#)
- [Stroke](#)
- [Testicular Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)