


MaxPab®

GSTM4 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00002948-D01P


Size 100 ug

Applications



Western Blot (Tissue lysate)

GSTM4 MaxPab rabbit polyclonal antibody. Western Blot analysis of GSTM4 expression in human liver.



Western Blot (Transfected lysate)

Western Blot analysis of GSTM4 expression in transfected 293T cell line ([H00002948-T01](#)) by GSTM4 MaxPab polyclonal antibody.

Lane 1: GSTM4 transfected lysate(25.60 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human GSTM4 protein.
Immunogen	GSTM4 (NP_000841.1, 1 a.a. ~ 218 a.a) full-length human protein.
Sequence	MSMTLGWDIRGLAHAIIRLLLEYTDSSYEKKYTMGDAPDYDRSQWLNEKFKLGLD FPNLPYLIDG AHKITQSNAILCYARKHNLCGETEEEEKIRVDILENQAMDVSNQLARVCYSPDFEKLKPEYLEELPT MMQHFSQFLGKRPWFVGDKITFVDFLAYDVLDLHRIFEPNCLDAFPNLKDFISRFEGLEKISAYMK SSRFLPKPLYTRVAVWGNK
Host	Rabbit
Reactivity	Human

Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

GSTM4 MaxPab rabbit polyclonal antibody. Western Blot analysis of GSTM4 expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of GSTM4 expression in transfected 293T cell line ([H00002948-T01](#)) by GSTM4 MaxPab polyclonal antibody.

Lane 1: GSTM4 transfected lysate(25.60 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — GSTM4

Entrez GeneID	2948
GeneBank Accession#	NM_000850.3
Protein Accession#	NP_000841.1
Gene Name	GSTM4
Gene Alias	GSTM4-4, GTM4, MGC131945, MGC9247
Gene Description	glutathione S-transferase mu 4
Omim ID	138333
Gene Ontology	Hyperlink

Gene Summary

Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu class. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. Diversification of these genes has occurred in regions encoding substrate-binding domains, as well as in tissue expression patterns, to accommodate an increasing number of foreign compounds. Multiple transcript variants, each encoding a distinct protein isoform, have been identified. [provided by RefSeq]

Other Designations

GST class-mu 4|GTS-Mu2|OTTHUMP00000013356|OTTHUMP00000013358|S-(hydroxyalkyl)glutathione lyase M4|glutathione S-alkyltransferase M4|glutathione S-aralkyltransferase M4|glutathione S-aryltransferase M4|glutathione S-transferase M4

Pathway

- [Drug metabolism - cytochrome P450](#)
- [Glutathione metabolism](#)
- [Metabolism of xenobiotics by cytochrome P450](#)

Disease

- [Alzheimer disease](#)
- [Arthritis](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cognition](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)

- [Genetic Predisposition to Disease](#)
- [Head and Neck Neoplasms](#)
- [Hearing Loss](#)
- [Hypertension](#)
- [Kidney Failure](#)
- [Lung Neoplasms](#)
- [Neoplasms](#)
- [Prenatal Exposure Delayed Effects](#)
- [Recurrence](#)