


HOXD8 monoclonal antibody (M02), clone 3G8

Catalog # H00003234-M02


Size 100 ug

Applications



Western Blot (Cell lysate)

HOXD8 monoclonal antibody (M02), clone 3G8 Western Blot analysis of HOXD8 expression in HepG2 (Cat # L019V1).



Western Blot detection against Immunogen (32.89 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant HOXD8.
Immunogen	HOXD8 (NP_062458, 126 a.a. ~ 190 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	GIACHGEPAKFYGYDNLQRQPIFTTQQEAEVLVQYPDCKSSSGNIGEDPDHLNQSSSPSQMFPMWR
Host	Mouse
Reactivity	Human

Interspecies Antigen Sequence	Mouse (100)
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (32.89 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

HOXD8 monoclonal antibody (M02), clone 3G8 Western Blot analysis of HOXD8 expression in HepG2 (Cat # L019V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — HOXD8

Entrez GeneID	3234
GeneBank Accession#	NM_019558
Protein Accession#	NP_062458
Gene Name	HOXD8
Gene Alias	HOX4, HOX4E, HOX5.4
Gene Description	homeobox D8
Omim ID	142985
Gene Ontology	Hyperlink

Gene Summary

This gene belongs to the homeobox family of genes. The homeobox genes encode a highly conserved family of transcription factors that play an important role in morphogenesis in all multicellular organisms. Mammals possess four similar homeobox gene clusters, HOXA, HOXB, HOXC and HOXD, located on different chromosomes, consisting of 9 to 11 genes arranged in tandem. This gene is one of several homeobox HOXD genes located in a cluster on chromosome 2. Deletions that remove the entire HOXD gene cluster or the 5' end of this cluster have been associated with severe limb and genital abnormalities. In addition to effects during embryogenesis, this particular gene may also play a role in adult urogenital tract function. [provided by RefSeq]

Other Designations

Hox-4.5, mouse, homolog of homeobox 4E/homeobox D8/homeobox protein 5.4

Disease

- [Clubfoot](#)