

CXCR1 rabbit monoclonal antibody

Catalog # H00003577-K

Size 100 ug x up to 3

Specification

Product Description	Rabbit monoclonal antibody raised against a human CXCR1 peptide using ARM Technology.
Immunogen	A synthetic peptide of human CXCR1 is used for rabbit immunization. Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen (ARM Technology).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	IgG
Quality Control Testing	Antibody reactive against human CXCR1 peptide by ELISA and mammalian transfected lysate by Western Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit IgG clones of 100 ug each will be delivered to customer.
Note	1. Customer may provide cell or tissue lysate for antibody screening. 2. Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering including F(ab) ₂ , IgG, scFv and different Fc and non-Fc conjugates per customer request.

Applications

- Western Blot (Transfected lysate)

[Protocol Download](#)

- ELISA

Gene Info — CXCR1

Entrez GeneID	3577
GeneBank Accession#	CXCR1
Gene Name	CXCR1
Gene Alias	C-C, C-C-CKR-1, CD128, CD181, CDw128a, CKR-1, CMKAR1, IL8R1, IL8RA, IL8RBA
Gene Description	chemokine (C-X-C motif) receptor 1
Omim ID	146929 609423
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the G-protein-coupled receptor family. This protein is a receptor for interleukin 8 (IL8). It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. Knockout studies in mice suggested that this protein inhibits embryonic oligodendrocyte precursor migration in developing spinal cord. This gene, IL8RB, a gene encoding another high affinity IL8 receptor, as well as IL8RBP, a pseudogene of IL8RB, form a gene cluster in a region mapped to chromosome 2q33-q36. [provided by RefSeq]
Other Designations	receptor alpha interleukin-8 receptor type 1 interleukin-8 receptor type A

Pathway

- [Chemokine signaling pathway](#)
- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)

Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Acute Disease](#)

- [Adenocarcinoma](#)
- [Asthma](#)
- [Bacteriuria](#)
- [Biliary Tract Neoplasms](#)
- [Birth Weight](#)
- [Bronchiectasis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chorioamnionitis](#)
- [Colitis](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Edema](#)
- [Esophageal Neoplasms](#)
- [Esophagitis](#)
- [Fetal Diseases](#)
- [Fetal Membranes](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Helicobacter Infections](#)
- [Hematologic Diseases](#)
- [Hepatitis B](#)
- [Hodgkin Disease](#)
- [Infection](#)

- [Inflammation](#)
- [Kidney Failure](#)
- [Leishmaniasis](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphoproliferative Disorders](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Mucocutaneous Lymph Node Syndrome](#)
- [Musculoskeletal Diseases](#)
- [Obstetric Labor](#)
- [Occupational Diseases](#)
- [Pain](#)
- [Papillomavirus Infections](#)
- [Pre-Eclampsia](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Pyelonephritis](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Skin Diseases](#)
- [Stomach Neoplasms](#)
- [Tuberculosis](#)

- [Urinary Bladder Neoplasms](#)
- [Urinary Tract Infections](#)
- [Uterine Cervical Neoplasms](#)
- [Uveitis](#)
- [Vesico-Ureteral Reflux](#)
- [Waldenstrom Macroglobulinemia](#)
- [Werner syndrome](#)