

# MAPK9 monoclonal antibody (M03), clone 3C12

100 ug H00005601-M03 Size Catalog #

## **Applications**

1.8 1.6 1.4 1.2 1


0.8 0.6 0

0.01

0.1

1 Recombinant ProteinConcentration(ng/ml)

00 450




### Western Blot (Cell lysate)

MAPK9 monoclonal antibody (M03), clone 3C12 Western Blot analysis of MAPK9 expression in HeLa (Cat # L013V1).



Detection limit for recombinant GST tagged MAPK9 is approximately 0.3ng/ml as a capture antibody.



1000

100


10

#### Immunofluorescence

Immunofluorescence of monoclonal antibody to MAPK9 on HeLa cell. [antibody concentration 10 ug/ml]



### **Product Information**



Western Blot detection against Immunogen (37.07 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant MAPK9.
Immunogen	MAPK9 (AAH32539, 321 a.a. ~ 424 a.a) partial recombinant protein with GST tag. MW of the GST t ag alone is 26 KDa.
Sequence	ITVWYDPAEAEAPPPQIYDAQLEEREHAIEEWKELIYKEVMDWEERSKNGVVKDQPSDAAVSSN ATPSQSSSINDISSMSTEQTLASDTDSSLDASTGPLEGCR
Host	Mouse
Reactivity	Human
lsotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.07 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

### Applications

Western Blot (Cell lysate)

MAPK9 monoclonal antibody (M03), clone 3C12 Western Blot analysis of MAPK9 expression in HeLa (Cat # L013V1). <u>Protocol Download</u>

• Western Blot (Recombinant protein)

Protocol Download

- Sandwich ELISA (Recombinant protein)
  Detection limit for recombinant GST tagged MAPK9 is approximately 0.3ng/ml as a capture antibody.
  <u>Protocol Download</u>
- ELISA
- Immunofluorescence

Immunofluorescence of monoclonal antibody to MAPK9 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — MAPK9	
Entrez GenelD	<u>5601</u>
GeneBank Accession#	<u>BC032539</u>
Protein Accession#	AAH32539
Gene Name	MAPK9
Gene Alias	JNK-55, JNK2, JNK2A, JNK2ALPHA, JNK2B, JNK2BETA, PRKM9, SAPK, p54a, p54aSAPK
Gene Description	mitogen-activated protein kinase 9
Omim ID	<u>602896</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in resp onse to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV r adiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathwa y. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiq uitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several altern atively spliced transcript variants encoding distinct isoforms have been reported. [provided by Ref Seq
Other Designations	Jun kinase MAP kinase 9 c-Jun N-terminal kinase 2 c-Jun kinase 2 mitogen-activated protein kina se 9 isoform JNK2 alpha2 stress-activated protein kinase JNK2



- Adipocytokine signaling pathway
- Colorectal cancer
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- <u>Focal adhesion</u>
- GnRH signaling pathway
- Insulin signaling pathway
- <u>MAPK signaling pathway</u>
- <u>Neurotrophin signaling pathway</u>
- Pancreatic cancer
- Pathways in cancer
- <u>T cell receptor signaling pathway</u>
- <u>Toll-like receptor signaling pathway</u>
- Type II diabetes mellitus
- <u>Wnt signaling pathway</u>

#### Disease

- Breast cancer
- Breast Neoplasms
- Genetic Predisposition to Disease
- HIV Infections
- <u>Tobacco Use Disorder</u>