

## PSMB4 rabbit monoclonal antibody

Catalog # H00005692-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human PSMB4 peptide using ARM Technology.
Immunogen	A synthetic peptide of human PSMB4 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human PSMB4 peptide by ELISA and mammalian transfected lysate by W estern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

**Protocol Download** 



ELISA

Gene Info — PSMB4	
Entrez GenelD	<u>5692</u>
GeneBank Accession#	PSMB4
Gene Name	PSMB4
Gene Alias	HN3, HsN3, PROS26
Gene Description	proteasome (prosome, macropain) subunit, beta type, 4
Omim ID	602177
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S cor e structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are co mposed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. [ provided by RefSeq
Other Designations	macropain beta chain multicatalytic endopeptidase complex beta chain proteasome beta 4 subun it proteasome beta chain proteasome chain 3 proteasome subunit HsN3 proteasome subunit, bet a type, 4

## Pathway

Proteasome

## Disease

- Cerebral Hemorrhage
- Depressive Disorder
- Genetic Predisposition to Disease
- Hypertension



- Inflammation
- Intracranial Hemorrhages
- Kidney Failure
- Stroke
- Subarachnoid Hemorrhage
- Tobacco Use Disorder