


RET monoclonal antibody (M15), clone 3A6

Catalog # H00005979-M15

Size 100 ug

Applications



Western Blot detection against Immunogen (36.52 KDa) .

Specification

Product Description	Mouse monoclonal antibody raised against a partial recombinant RET.
Immunogen	RET (AAH03072, 361 a.a. ~ 458 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	NLSISENRTMQLAVLVNDSDFQGPGAGVLLLHFNVSVLPVSLHLPSTYSLSVSRRARRFAQIGKV CVENCLADLTGDAVSGRDEARSSGLGSQKHPGS
Host	Mouse
Reactivity	Human
Isotype	IgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.52 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — RET

Entrez GeneID [5979](#)

GeneBank Accession# [BC003072](#)

Protein Accession# [AAH03072](#)

Gene Name RET

Gene Alias CDHF12, HSCR1, MEN2A, MEN2B, MTC1, PTC, RET-ELE1, RET51

Gene Description ret proto-oncogene

Omim ID [142623](#) [155240](#) [162300](#) [164761](#) [171300](#) [171400](#) [209880](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene, a member of the cadherin superfamily, encodes one of the receptor tyrosine kinases, which are cell-surface molecules that transduce signals for cell growth and differentiation. This gene plays a crucial role in neural crest development, and it can undergo oncogenic activation in vivo and in vitro by cytogenetic rearrangement. Mutations in this gene are associated with the disorders multiple endocrine neoplasia, type IIA, multiple endocrine neoplasia, type IIB, Hirschsprung disease, and medullary thyroid carcinoma. Two transcript variants encoding different isoforms have been found for this gene. Additional transcript variants have been described but their biological validity has not been confirmed. [provided by RefSeq]

Other Designations RET transforming sequence|cadherin family member 12|hydroxyaryl-protein kinase|oncogene RET|receptor tyrosine kinase|ret proto-oncogene (multiple endocrine neoplasia and medullary thyroid carcinoma 1, Hirschsprung disease)

Pathway

- [Endocytosis](#)
- [Pathways in cancer](#)
- [Thyroid cancer](#)

Disease

- [Adenocarcinoma](#)
- [Adenoma](#)
- [Adrenal Gland Neoplasms](#)
- [Alzheimer Disease](#)
- [Atherosclerosis](#)
- [Carcinoma](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Digestive System Abnormalities](#)
- [Disease Progression](#)
- [Down Syndrome](#)
- [Endocrine Gland Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Glomus Tumor](#)
- [Hashimoto Disease](#)
- [Head and Neck Neoplasms](#)
- [Hippel-Lindau Disease](#)
- [Hirschsprung Disease](#)
- [Hydronephrosis](#)
- [Hyperplasia](#)
- [Hypertension](#)
- [Intestinal Diseases](#)
- [Kidney Diseases](#)

- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Macular Degeneration](#)
- [Multiple endocrine neoplasia](#)
- [Multiple Endocrine Neoplasia Type 2a](#)
- [Multiple Endocrine Neoplasia Type 2b](#)
- [Necrosis](#)
- [Neoplasm Metastasis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Neurofibromatosis](#)
- [Nondisjunction](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Paranglioma](#)
- [Parkinson disease](#)
- [Pheochromocytoma](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Recurrence](#)
- [Schizophrenia](#)
- [Sleep Apnea](#)
- [Sudden Infant Death](#)
- [Syndrome](#)
- [Taste](#)

- [Thyroid Diseases](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Urea Cycle Disorders](#)
- [Urinary Bladder Neoplasms](#)
- [Urogenital Abnormalities](#)
- [Vesico-Ureteral Reflux](#)
- [Vitamin A Deficiency](#)
- [von Hippel-Lindau Disease](#)
- [Von Hippel-Lindau syndrome](#)
- [Werner syndrome](#)