


STAT5A (Human) Recombinant Protein (Q01)

Catalog # H00006776-Q01

Size 25 ug, 10 ug

Applications



Specification

Product Description	Human STAT5A partial ORF (AAH27036, 1 a.a. - 104 a.a.) recombinant protein with GST-tag at N-terminal.
Sequence	MAGWIAQQLQGDLRQMQVLYGQHFPFIEVRHYLAQWIESQPWDAIDLDPQDRAQATQLLEGLVQELQKKAEHQVGEDGFLKIKLGHYATQLQKTYDRCPL
Host	Wheat Germ (in vitro)
Theoretical MW (kDa)	37.07
Preparation Method	in vitro wheat germ expression system
Purification	Glutathione Sepharose 4 Fast Flow
Quality Control Testing	12.5% SDS-PAGE Stained with Coomassie Blue.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
Note	Best use within three months from the date of receipt of this protein.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Western Blot (Recombinant protein)
- Antibody Production
- Protein Array

Gene Info — STAT5A

Entrez GeneID [6776](#)

GeneBank Accession# [BC027036](#)

Protein Accession# [AAH27036](#)

Gene Name STAT5A

Gene Alias MGF, STAT5

Gene Description signal transducer and activator of transcription 5A

Omim ID [601511](#)

Gene Ontology [Hyperlink](#)

Gene Summary

The protein encoded by this gene is a member of the STAT family of transcription factors. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated by, and mediates the responses of many cell ligands, such as IL2, IL3, IL7 GM-CSF, erythropoietin, thrombopoietin, and different growth hormones. Activation of this protein in myeloma and lymphoma associated with a TEL/JAK2 gene fusion is independent of cell stimulus and has been shown to be essential for the tumorigenesis. The mouse counterpart of this gene is found to induce the expression of BCL2L1/BCL-X(L), which suggests the antiapoptotic function of this gene in cells. [provided by RefSeq]

Other Designations -

Pathway

- [Acute myeloid leukemia](#)
- [Chronic myeloid leukemia](#)

- [ErbB signaling pathway](#)
- [Jak-STAT signaling pathway](#)
- [Pathways in cancer](#)

Disease

- [Asthma](#)
- [Birth Weight](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Disease Progression](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [Hepatitis C](#)
- [Infant](#)
- [Leukemia](#)
- [Liver Neoplasms](#)
- [Lupus Erythematosus](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Respiratory Syncytial Virus Infections](#)
- [Viremia](#)