


ZNF41 monoclonal antibody (M03), clone 3E12

Catalog # H00007592-M03 Size 100 ug


Applications



Western Blot (Transfected lysate)

Western Blot analysis of ZNF41 expression in transfected 293T cell line by ZNF41 monoclonal antibody (M03), clone 3E12.

Lane 1: ZNF41 transfected lysate (Predicted MW: 89.1 KDa). Lane 2: Non-transfected lysate.



Western Blot detection against Immunogen (37.11 KDa).

| Specification | |
|---------------------|---|
| Product Description | Mouse monoclonal antibody raised against a partial recombinant ZNF41. |
| Immunogen | ZNF41 (NP_009061, 221 a.a. ~ 321 a.a) partial recombinant protein with GST tag. MW of the GST t ag alone is 26 KDa. |
| Sequence | GNNFPHSPSSTKNENAKTGANSCEHDHYEKHLSHKQAPTHHQKIHPEEKLYVCTECVMGFTQKS HLFEHQRIHAGEKSRECDKSNKVFPQKPQVDVHPSV* |
| Host | Mouse |
| Reactivity | Human |
| lsotype | lgG1 Kappa |

😵 Abnova

Product Information

| Quality Control Testing | Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.11 KDa) . |
|-------------------------|--|
| Storage Buffer | In 1x PBS, pH 7.4 |
| Storage Instruction | Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing. |

Applications

• Western Blot (Transfected lysate)

Western Blot analysis of ZNF41 expression in transfected 293T cell line by ZNF41 monoclonal antibody (M03), clone 3E12.

Lane 1: ZNF41 transfected lysate (Predicted MW: 89.1 KDa). Lane 2: Non-transfected lysate.

Protocol Download

Western Blot (Recombinant protein)

Protocol Download

• ELISA

Gene Info — ZNF41

| Entrez GenelD | <u>7592</u> |
|---------------------|------------------------|
| GeneBank Accession# | <u>NM_007130</u> |
| Protein Accession# | <u>NP_009061</u> |
| Gene Name | ZNF41 |
| Gene Alias | MGC8941, MRX89 |
| Gene Description | zinc finger protein 41 |
| Omim ID | <u>314995</u> |
| Gene Ontology | Hyperlink |



Product Information

Gene Summary

This gene product is a likely zinc finger family transcription factor. It contains KRAB-A and KRAB-B domains that act as transcriptional repressors in related proteins, and multiple zinc finger DNA binding motifs and finger linking regions characteristic of the Kruppel family. This gene is part of a gene cluster on chromosome Xp11.23. Several alternatively spliced transcript variants have been described, however, the full-length nature of only some of them is known. [provided by RefSeq

Other Designations

OTTHUMP00000023219|OTTHUMP00000023220