


CXCR4 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00007852-T02


Size 100 uL

Applications



SDS-PAGE Gel

CXCR4 transfected lysate.



Western Blot

Lane 1: CXCR4 transfected lysate (39.70 KDa)

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-CXCR4 full-length

Host Human

Theoretical MW (kDa) 39.7

Quality Control Testing Transient overexpression cell lysate was tested with Anti-CXCR4 antibody ([H00007852-D01P](#)) by Western Blots.
SDS-PAGE Gel
CXCR4 transfected lysate.
Western Blot
Lane 1: CXCR4 transfected lysate (39.70 KDa)
Lane 2: Non-transfected lysate.

Storage Buffer	1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — CXCR4

Entrez GeneID	7852
GeneBank Accession#	NM_003467
Protein Accession#	AAH20968.1
Gene Name	CXCR4
Gene Alias	CD184, D2S201E, FB22, HM89, HSY3RR, LAP3, LCR1, LESTR, NPY3R, NPYR, NPYRL, NPY3R, WHIM
Gene Description	chemokine (C-X-C motif) receptor 4
Omim ID	162643 193670
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a CXC chemokine receptor specific for stromal cell-derived factor-1. The protein has 7 transmembrane regions and is located on the cell surface. It acts with the CD4 protein to support HIV entry into cells and is also highly expressed in breast cancer cells. Mutations in this gene have been associated with WHIM (warts, hypogammaglobulinemia, infections, and myelodysplasia) syndrome. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq]
Other Designations	C-X-C chemokine receptor type 4 CD184 antigen chemokine (C-X-C motif), receptor 4 (fusin) chemokine receptor 4 fusin leukocyte-derived seven-transmembrane-domain receptor lipopolysaccharide-associated protein 3 neuropeptide Y receptor Y3 seven transmembrane

Pathway

- [Axon guidance](#)
- [Chemokine signaling pathway](#)

- [Cytokine-cytokine receptor interaction](#)
- [Endocytosis](#)
- [Leukocyte transendothelial migration](#)

Disease

- [Acquired Immunodeficiency Syndrome](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Celiac Disease](#)
- [Colon cancer](#)
- [Colorectal Neoplasms](#)
- [Coronary Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Growth Hormone-Secreting Pituitary Adenoma](#)
- [Hepatitis B](#)
- [HIV Infections](#)
- [Hyperglycemia](#)
- [Liver Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)

- [Mouth Neoplasms](#)
- [Multiple Sclerosis](#)
- [Neoplasm Invasiveness](#)
- [Pituitary Neoplasms](#)
- [Thyroid Neoplasms](#)
- [Tumor Virus Infections](#)