


MaxPab®

PDLIM1 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog # H00009124-D01P


Size 100 ug

Applications




Western Blot (Tissue lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in human pancreas.




Western Blot (Tissue lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in human liver.



Western Blot (Cell lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in HepG2.



Western Blot (Transfected lysate)

Western Blot analysis of PDLIM1 expression in transfected 293T cell line ([H00009124-T01](#)) by PDLIM1 MaxPab polyclonal antibody.

Lane 1: PDLIM1 transfected lysate(36.10 KDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Rabbit polyclonal antibody raised against a full-length human PDLIM1 protein.
Immunogen	PDLIM1 (NP_066272.1, 1 a.a. ~ 329 a.a) full-length human protein.
Sequence	MTTQQIDLQGGPGPWGFRVLVGGKDFEQPLAISRVTPGSKAALANLCIGDVITAIDGENTSNMTHLEA QNRKIGCTDNLTLTVARSEHKVWSPLVTEEGKRHPYKMNLASEPQEV LHIGSAHNRSAMPFTASP ASSTTARVITNQYNNPAGLYSSENISNFNNALESKTAASGVEANSRPLDHAQPPSSLVIDKESEVY KMLQEKQELNEPPKQSTSFLVLQEILESEEKGDPNKPSGFRSVKAPVTKVAASIGNAQKLPMCD KCGTGMGVFVKLRDRHRHPECYVCTDCGTNLKQKGHFFVEDQIYCEKHARERVTPPEGYEVVTV FPK
Host	Rabbit
Reactivity	Human
Interspecies Antigen Sequence	Mouse (89); Rat (88)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in human pancreas.

[Protocol Download](#)

- Western Blot (Tissue lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in human liver.

[Protocol Download](#)

- Western Blot (Cell lysate)

PDLIM1 MaxPab rabbit polyclonal antibody. Western Blot analysis of PDLIM1 expression in HepG2.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of PDLIM1 expression in transfected 293T cell line ([H00009124-T01](#)) by PDLIM1 MaxPab polyclonal antibody.

Lane 1: PDLIM1 transfected lysate(36.10 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — PDLIM1

Entrez GeneID	9124
GeneBank Accession#	NM_020992.2
Protein Accession#	NP_066272.1
Gene Name	PDLIM1
Gene Alias	CLIM1, CLP-36, CLP36, hCLIM1
Gene Description	PDZ and LIM domain 1
Omim ID	605900
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000020137 carboxy terminal LIM domain protein 1 carboxyl terminal LIM domain protein 1 elfin enigma

Publication Reference

- [Early storage lesions in apheresis platelets are induced by the activation of the integrin \$\alpha\text{IIb}\beta_3\$ and focal adhesion signaling pathways.](#)

Thiele T, Iuga C, Janetzky S, Schwertz H, Gesell Salazar M, Füll B, Völker U, Greinacher A, Steil L.

Journal of Proteomics 2012 Dec; 76:297.

Application: WB-Ce, Human, Human platelets

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Crohn Disease](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Neuroblastoma](#)