

## AKT3 rabbit monoclonal antibody

Catalog # H00010000-K Size 100 ug x up to 3

Specification	
Product Description	Rabbit monoclonal antibody raised against a human AKT3 peptide using ARM Technology.
Immunogen	A synthetic peptide of human AKT3 is used for rabbit immunization.  Customer or Abnova will decide on the preferred peptide sequence.
Host	Rabbit
Library Construction	Non-fusion antibody library from rabbit spleen ( <u>ARM Technology</u> ).
Expression	Overexpression vector and transfection into 293H cell line.
Reactivity	Human
Purification	Protein A
Isotype	lgG
Quality Control Testing	Antibody reactive against human AKT3 peptide by ELISA and mammalian transfected lysate by Wes tern Blot.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
Deliverable	Up to three rabbit lgG clones of 100 ug each will be delivered to customer.
Note	<ol> <li>Customer may provide cell or tissue lysate for antibody screening.</li> <li>Rabbit monoclonal antibody generated by ARM technology is amenable to antibody engineering in cluding F(ab)<sub>2</sub>, lgG, scFv and different Fc and non-Fc conjugates per customer request.</li> </ol>

## **Applications**

Western Blot (Transfected lysate)

Protocol Download



ELISA

Gene Info — AKT3	
Entrez GenelD	10000
GeneBank Accession#	AKT3
Gene Name	AKT3
Gene Alias	DKFZp434N0250, PKB-GAMMA, PKBG, PRKBG, RAC-PK-gamma, RAC-gamma, STK-2
Gene Description	v-akt murine thymoma viral oncogene homolog 3 (protein kinase B, gamma)
Omim ID	611223
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the AKT, also called PKB, serine/threonine prot ein kinase family. AKT kinases are known to be regulators of cell signaling in response to insulin and growth factors. They are involved in a wide variety of biological processes including cell prolif eration, differentiation, apoptosis, tumorigenesis, as well as glycogen synthesis and glucose upta ke. This kinase has been shown to be stimulated by platelet-derived growth factor (PDGF), insulin , and insulin-like growth factor 1 (IGF1). Alternatively splice transcript variants encoding distinct is oforms have been described. [provided by RefSeq
Other Designations	OTTHUMP00000037911 OTTHUMP00000037912 RAC-gamma serine/threonine protein kinase  protein kinase B gamma serine threonine protein kinase, Akt-3 v-akt murine thymoma viral oncog ene homolog 3

## Pathway

- Acute myeloid leukemia
- Adipocytokine signaling pathway
- Apoptosis
- B cell receptor signaling pathway
- Chemokine signaling pathway
- Chronic myeloid leukemia
- Colorectal cancer
- Endometrial cancer



- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Fc gamma R-mediated phagocytosis
- Focal adhesion
- Glioma
- Insulin signaling pathway
- Jak-STAT signaling pathway
- MAPK signaling pathway
- Melanoma
- mTOR signaling pathway
- Neurotrophin signaling pathway
- Non-small cell lung cancer
- Pancreatic cancer
- Pathways in cancer
- Prostate cancer
- Renal cell carcinoma
- Small cell lung cancer
- T cell receptor signaling pathway
- Tight junction
- Toll-like receptor signaling pathway
- VEGF signaling pathway

## Disease

- Adenocarcinoma
- Cardiovascular Diseases
- Diabetes Mellitus



- Edema
- Genetic Predisposition to Disease
- HIV Infections
- Multiple Sclerosis
- Thyroid Neoplasms
- Urinary Bladder Neoplasms