


MaxPab®

# NDUFA13 MaxPab mouse polyclonal antibody (B02)

Catalog # H00051079-B02


Size 50 uL

## Applications



### Western Blot (Tissue lysate)

NDUFA13 MaxPab polyclonal antibody. Western Blot analysis of NDUFA13 expression in human liver.




### Western Blot (Transfected lysate)

Western Blot analysis of NDUFA13 expression in transfected 293T cell line ([H00051079-T02](#)) by NDUFA13 MaxPab polyclonal antibody.


Lane 1: NDUFA13 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to NDUFA13 on formalin-fixed paraffin-embedded human pancreas. [antibody concentration 3 ug/ml]



## Immunofluorescence

Immunofluorescence of purified MaxPab antibody to NDUFA13 on HeLa cell.  
[antibody concentration 10 ug/ml]

## Specification

<b>Product Description</b>	Mouse polyclonal antibody raised against a full-length human NDUFA13 protein.
<b>Immunogen</b>	NDUFA13 (AAH09189.1, 1 a.a. ~ 144 a.a) full-length human protein.
<b>Sequence</b>	MAASKVKQDMPPPGGYGPIDYKRNLPRRGLSGYSMLAIGIGTLIGHWSIMKWNRRRRRLQIEDFE ARIALPLLLQAETDRRTLQMLRENLEEEAIIIMKDVPDWKVGESVFHTTRWVPPLIGELYGLRTEEA LHASHGFMWYT
<b>Host</b>	Mouse
<b>Reactivity</b>	Human
<b>Quality Control Testing</b>	Antibody reactive against mammalian transfected lysate.
<b>Storage Buffer</b>	No additive
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
<b>Note</b>	For IHC and IF applications, antibody purification with Protein A will be needed prior to use.

## Applications

### ● Western Blot (Tissue lysate)

NDUFA13 MaxPab polyclonal antibody. Western Blot analysis of NDUFA13 expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of NDUFA13 expression in transfected 293T cell line ([H00051079-T02](#)) by NDUFA13 MaxPab polyclonal antibody.

Lane 1: NDUFA13 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to NDUFA13 on formalin-fixed paraffin-embedded human pancreas. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to NDUFA13 on HeLa cell. [antibody concentration 10 ug/ml]

## Gene Info — NDUFA13

Entrez GeneID [51079](#)

GeneBank Accession# [BC009189.2](#)

Protein Accession# [AAH09189.1](#)

Gene Name NDUFA13

Gene Alias B16.6, CDA016, CGI-39, GRIM-19, GRIM19

Gene Description NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 13

Omim ID [609435](#)

Gene Ontology [Hyperlink](#)

Gene Summary O

Other Designations cell death-regulatory protein GRIM19