


MaxPab®

NDUFA13 purified MaxPab mouse polyclonal antibody (B02P)

Catalog # H00051079-B02P


Size 50 ug

Applications



Western Blot (Tissue lysate)

NDUFA13 MaxPab polyclonal antibody. Western Blot analysis of NDUFA13 expression in human liver.




Western Blot (Transfected lysate)

Western Blot analysis of NDUFA13 expression in transfected 293T cell line ([H00051079-T02](#)) by NDUFA13 MaxPab polyclonal antibody.


Lane 1: NDUFA13 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to NDUFA13 on formalin-fixed paraffin-embedded human pancreas. [antibody concentration 3 ug/ml]



Immunofluorescence

Immunofluorescence of purified MaxPab antibody to NDUFA13 on HeLa cell.
[antibody concentration 10 ug/ml]

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human NDUFA13 protein.
Immunogen	NDUFA13 (AAH09189.1, 1 a.a. ~ 144 a.a) full-length human protein.
Sequence	MAASKVKQDMPPPGGYGPIDYKRNLPRRGLSGYSMLAIGIGTLIGHWSIMKWNRRRRRLQIEDFE ARIALLPLLQAETDRRTLQMLRENLEEEAIIIMKDVPDWKVGESVFHTTRWVPPLIGELYGLRTEEA LHASHGFMWYT
Host	Mouse
Reactivity	Human
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Tissue lysate)

NDUFA13 MaxPab polyclonal antibody. Western Blot analysis of NDUFA13 expression in human liver.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of NDUFA13 expression in transfected 293T cell line ([H00051079-T02](#)) by NDUFA13 MaxPab polyclonal antibody.

Lane 1: NDUFA13 transfected lysate(15.84 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of purified MaxPab antibody to NDUFA13 on formalin-fixed paraffin-embedded human pancreas. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to NDUFA13 on HeLa cell. [antibody concentration 10 ug/ml]

Gene Info — NDUFA13

Entrez GeneID	51079
---------------	-----------------------

GeneBank Accession#	BC009189
---------------------	--------------------------

Protein Accession#	AAH09189.1
--------------------	----------------------------

Gene Name	NDUFA13
-----------	---------

Gene Alias	B16.6, CDA016, CGI-39, GRIM-19, GRIM19
------------	--

Gene Description	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 13
------------------	--

Omim ID	609435
---------	------------------------

Gene Ontology	Hyperlink
---------------	---------------------------

Gene Summary	O
--------------	---

Other Designations	cell death-regulatory protein GRIM19
--------------------	--------------------------------------

Publication Reference

- [Differentially expressed proteins in malignant and benign adrenocortical tumors.](#)

Kjellin H, Johansson H, Hoog A, Lehtio J, Jakobsson PJ, Kjellman M.

PLoS One 2014 Feb; 9(2):e87951.

Application: IHC-P, WB-Ti, Human, Benign, Malignant adrenal tumors