

ANGPTL4 monoclonal antibody (M01), clone 1F7

Catalog # H00051129-M01

Size 100 ug

Specification

Product Description	Mouse monoclonal antibody raised against a full length recombinant ANGPTL4.
Immunogen	ANGPTL4 (AAH23647.1, 26 a.a. ~ 406 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	GPVQSKSPRFASWDEMNVLAHGLLQLGQGLREHAERTRSQLSALERRLSACGSACQGTEGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFHKVAQQQRHLEKQHLRIQHLQSQFGLLDHKHLDHEVAKPARRKRLPEMAQPVDPAHNVSRLHRLPRDCQELFQVGERQSGLFQVGERQSGSPFLVNC KMTSDGGWTVIQRRHDGSVDFNRPWEAYKAGFGDPHGEFWLGLEKVHSITGDRNSRLAVQLRDWDGNAELLQFSVHLGGEDTAYSLQLTAPVAGQLGATTVPSPGLSVPFSTWDQDHLRRDNCAKSLSGGWWFGTCSHSNLNGQYFRSIPQQRQKLKKGIFWKTWRGRYHPLQATTMLIQPIAAEAAS
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (75); Rat (76)
Isotype	IgG
Quality Control Testing	Antibody Reactive Against Recombinant Protein.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- ELISA

Gene Info — ANGPTL4

Entrez GeneID

[51129](#)

GeneBank Accession#	BC023647
Protein Accession#	AAH23647.1
Gene Name	ANGPTL4
Gene Alias	ANGPTL2, ARP4, FIAF, HFARP, NL2, PGAR, pp1158
Gene Description	angiopoietin-like 4
Omim ID	605910
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the angiopoietin/angiopoietin-like gene family and encodes a glycosylated, secreted protein with a fibrinogen C-terminal domain. This gene is induced under hypoxic conditions in endothelial cells and is the target of peroxisome proliferation activators. The encoded protein is a serum hormone directly involved in regulating glucose homeostasis, lipid metabolism, and insulin sensitivity and also acts as an apoptosis survival factor for vascular endothelial cells. The encoded protein may play a role in several cancers and it also has been shown to prevent the metastatic process by inhibiting vascular activity as well as tumor cell motility and invasiveness. Decreased expression of this protein has been associated with type 2 diabetes. Alternatively spliced transcript variants encoding different isoforms have been described. This gene was previously referred to as ANGPTL2 but has been renamed ANGPTL4. [provided by RefSeq]
Other Designations	PPARG angiopoietin related protein angiopoietin-like 4 protein angiopoietin-related protein 4 fasting-induced adipose factor hepatic angiopoietin-related protein hepatic fibrinogen/angiopoietin-related protein peroxisome proliferator-activated receptor (P

Pathway

- [PPAR signaling pathway](#)

Disease

- [Amyotrophic lateral sclerosis](#)
- [Anoxia](#)
- [Atherosclerosis](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)

- [Coronary Disease](#)
- [Diabetes Mellitus](#)
- [Dyslipidemias](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Failure](#)
- [Syndrome](#)
- [Weight Gain](#)