


IL20RB 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # H00053833-T02


Size 100 uL

Applications



SDS-PAGE Gel

IL20RB transfected lysate



Western Blot

Lane 1: IL20RB transfected lysate (16.28 KDa).

Lane 2: Non-transfected lysate.

Specification

Transfected Cell Line 293T

Plasmid pCMV-IL20RB full-length

Host Human

Theoretical MW (kDa) 16.28

Quality Control Testing Transient overexpression cell lysate was tested with Anti-IL20RB antibody ([H00053833-B02](#)) by Western Blots.
 SDS-PAGE Gel
 IL20RB transfected lysate
 Western Blot
 Lane 1: IL20RB transfected lysate (16.28 KDa).
 Lane 2: Non-transfected lysate.

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction

Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Gene Info — IL20RB

Entrez GeneID[53833](#)**GeneBank Accession#**[BC033292](#)**Protein Accession#**[AAH33292](#)**Gene Name**

IL20RB

Gene Alias

DIRS1, FNDC6, IL-20R2, MGC34923

Gene Description

interleukin 20 receptor beta

Omim ID[605621](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

IL20RB and IL20RA (MIM 605620) form a heterodimeric receptor for interleukin-20 (IL20; MIM 605619) (Blumberg et al., 2001 [PubMed 11163236]).[supplied by OMIM]

Other Designations

fibronectin type III domain containing 6|interleukin-20 receptor II

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Psoriasis](#)