


# BCOR polyclonal antibody (A01)

Catalog # H00054880-A01 Size 50 uL


## **Applications**



### Western Blot (Transfected lysate)

Western Blot analysis of BCOR expression in transfected 293T cell line by BCOR polyclonal antibody (A01).

Lane1:BCOR transfected lysate (Predicted MW: 36.74 KDa). Lane2:Non-transfected lysate.



Western Blot detection against Immunogen (37.11 KDa).

Specification	
Product Description	Mouse polyclonal antibody raised against a partial recombinant BCOR.
Immunogen	BCOR (NP_060215, 1361 a.a. ~ 1460 a.a) partial recombinant protein with GST tag.
Sequence	RRFRKRPEPSSDYDLSPAKQEPKPFDRLQQLLPASQSTQLPCSSSPQETTQSRPMPPEARRLIV NKNAGETLLQRAARLGYEEVVLYCLENKICDVNHRD
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (88); Rat (89)



#### **Product Information**

Quality Control Testing	Antibody Reactive Against Recombinant Protein.  Western Blot detection against Immunogen (37.11 KDa).
Storage Buffer	50 % glycerol
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

# Applications

Western Blot (Transfected lysate)

Western Blot analysis of BCOR expression in transfected 293T cell line by BCOR polyclonal antibody (A01).

Lane1:BCOR transfected lysate (Predicted MW: 36.74 KDa). Lane2:Non-transfected lysate.

**Protocol Download** 

Western Blot (Recombinant protein)

**Protocol Download** 

ELISA

Gene Info — BCOR	
Entrez GeneID	<u>54880</u>
GeneBank Accession#	NM_017745
Protein Accession#	NP_060215
Gene Name	BCOR
Gene Alias	ANOP2, FLJ20285, FLJ38041, KIAA1575, MAA2, MCOPS2, MGC131961, MGC71031
Gene Description	BCL6 co-repressor
Omim ID	300166 300485
Gene Ontology	<u>Hyperlink</u>



#### **Product Information**

#### **Gene Summary**

The protein encoded by this gene was identified as an interacting corepressor of BCL6, a POZ/zi nc finger transcription repressor that is required for germinal center formation and may influence a poptosis. This protein selectively interacts with the POZ domain of BCL6, but not with eight other POZ proteins. Specific class I and II histone deacetylases (HDACs) have been shown to interact with this protein, which suggests a possible link between the two classes of HDACs. Several tran script variants encoding different isoforms have been found for this gene. [provided by RefSeq

#### **Other Designations**

5830466J11Rik|8430401K06Rik|BCL-6 interacting corepressor|OTTHUMP00000025766|OTTH UMP00000025768

## Publication Reference

Proteomics Analysis of Ring1B/Rnf2 Interactors Identifies a Novel Complex with the Fbxl10/Jhdm1B Histone
 Demethylase and the Bcl6 Interacting Corepressor.

Sanchez C, Sanchez I, Demmers JA, Rodriguez P, Strouboulis J, Vidal M.

Molecular & Cellular Proteomics 2007 Feb; 6(5):820.

Application: WB, Mouse, MEL cells