


FBXW7 polyclonal antibody (A01)

Catalog # H00055294-A01


Size 50 uL

Applications



Western Blot (Cell lysate)

FBXW7 polyclonal antibody (A01), Lot # 051026JC01 Western Blot analysis of FBXW7 expression in Jurkat (Cat # L017V1).



Western Blot detection against Immunogen (38.1 KDa) .

Specification

Product Description	Mouse polyclonal antibody raised against a partial recombinant FBXW7.
Immunogen	FBXW7 (NP_361014, 599 a.a. ~ 707 a.a) partial recombinant protein with GST tag.
Sequence	ADSTVKIWDIKTGQCLQLQGPNKHQSAVTCLQFNKNFVITSSDDGTVKLWDLKTGEFIRNLVTLE SGGSGGVVWRIRASNTKLVCAGSRNGTEETKLLVLDFDVK
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (99)

Quality Control Testing

Antibody Reactive Against Recombinant Protein.
Western Blot detection against Immunogen (38.1 KDa) .

Storage Buffer

50 % glycerol

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

FBXW7 polyclonal antibody (A01), Lot # 051026JC01 Western Blot analysis of FBXW7 expression in Jurkat (Cat # L017V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- ELISA

Gene Info — FBXW7

Entrez GeneID

[55294](#)

GeneBank Accession#

[NM_033632](#)

Protein Accession#

[NP_361014](#)

Gene Name

FBXW7

Gene Alias

AGO, CDC4, DKFZp686F23254, FBW6, FBW7, FBX30, FBXO30, FBXW6, FLJ16457, SEL-10, SEL10

Gene Description

F-box and WD repeat domain containing 7

Omim ID

[606278](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats. This protein binds directly to cyclin E and probably targets cyclin E for ubiquitin-mediated degradation. Mutations in this gene are detected in ovarian and breast cancer cell lines, implicating the gene's potential role in the pathogenesis of human cancers. Three transcript variants encoding three different isoforms have been found for this gene. [provided by RefSeq]

Other Designations

F-box and WD-40 domain protein 7 (archipelago homolog, Drosophila)|F-box protein FBW7|F-box protein SEL-10|archipelago homolog|archipelago, Drosophila, homolog of|homolog of C elegans sel-10

Pathway

- [Ubiquitin mediated proteolysis](#)

Disease

- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Disease Progression](#)
- [Genetic Predisposition to Disease](#)
- [Kidney Neoplasms](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precursor T-Cell Lymphoblastic Leukemia-Lymphoma](#)
- [Pulmonary Disease](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)

- [Wilms Tumor](#)