


MaxPab®

RNF20 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00056254-B01P


Size 50 ug

Applications




Western Blot (Cell lysate)

RNF20 MaxPab polyclonal antibody. Western Blot analysis of RNF20 expression in HL-60.



Western Blot (Cell lysate)

RNF20 MaxPab polyclonal antibody. Western Blot analysis of RNF20 expression in HeLa.




Western Blot (Transfected lysate)

Western Blot analysis of RNF20 expression in transfected 293T cell line ([H00056254-T02](#)) by RNF20 MaxPab polyclonal antibody.

Lane 1: RNF20 transfected lysate(107.25 KDa).

Lane 2: Non-transfected lysate.



Immunofluorescence

Immunofluorescence of purified MaxPab antibody to RNF20 on HeLa cell.
[antibody concentration 20 ug/ml]

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human RNF20 protein.
Immunogen	RNF20 (NP_062538.5, 1 a.a. ~ 975 a.a) full-length human protein.
Sequence	MSGIGNKRAAGEPGTSMPPPEKKAAVEDSGTTVETIKLGGVSSTEELDIRTLQTKNRKLAEMLDQR QAIEDELREHIEKLERRQATDDASLLVNRYSQFDENIRILKRYDLEQGLGDLTERKALVVPEPE PDSDSNQERKDDREREGEQEPAFSFLATLASSSSEEMESQLQERVESRRRAVSQIVTYDKLQ EKVELLSRKLNSGDNLVEEAVQELNSFLAQENMRLQELTDLLQEKHRTMSQEF SKLQSKVETAE SRVSVLESMIDDLQWDIDKIRKREQRLNRHLAEVLERVNSKGKVGAGSSLYGGTITINARKFEE MNAELEENKELAQNRLCELEKLRQDFEEVTTQNEKLKVELRSAVEQVVKETPEYRCMQSQFSVL YNESLQLKAHLDEARTLLHGTGRGTHQHQLVIELERDEVSLHKKLRTEVIQLEDTLAQVRKEYEMLRIE FEQTLAANEQAGPINREMRHLISSLQNHNLKGEVLRKRLREAQSDLNKTRLRSGSALLQSQ SSTEDPKDEPAELKPDSEDLSSQSSASKASQEDANEIKSKRDEEERERERREKEREREREREK EKEREREKQKLKESEKERDSAKDKEKGKHDDGRKKEAEIKQLKIELKKAQESQKEMKLLLDMYR SAPKEQRDKVQLMAAEKKSKELEDLRQLKDLEDKEKKENKKMADEDALRKIRAVEEQIEYLQ KKLAMAKQEEEEALLSEMDVTGQAFEDMQEQNIRLMQQLREKDDANFKLMSEIRKSNQIHKLLKE EKEELADQVLTlKTQVDAQLQVVRKLEEKHEHLLQSNIGTGEKELGLRTQALEMNRKAMEAAQL ADDLKAQLELAQKKLHDFQDEIVENSVTKEKDMFNFKRAQEDISRLRRKLETTKKPDNVPKCDEI LMEEIKDYKARLTCPCCNMRKKDAVLTKCFHVFCECVKTRYDTRQRKCPKCNAAFGANDFHRIY IG
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (97); Rat (97)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

RNF20 MaxPab polyclonal antibody. Western Blot analysis of RNF20 expression in HL-60.

[Protocol Download](#)

- Western Blot (Cell lysate)

RNF20 MaxPab polyclonal antibody. Western Blot analysis of RNF20 expression in HeLa.

[Protocol Download](#)

- Western Blot (Transfected lysate)

Western Blot analysis of RNF20 expression in transfected 293T cell line ([H00056254-T02](#)) by RNF20 MaxPab polyclonal antibody.

Lane 1: RNF20 transfected lysate(107.25 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

- Immunofluorescence

Immunofluorescence of purified MaxPab antibody to RNF20 on HeLa cell. [antibody concentration 20 ug/ml]

Gene Info — RNF20

Entrez GeneID	56254
---------------	-----------------------

GeneBank Accession#	NM_019592.5
---------------------	-----------------------------

Protein Accession#	NP_062538.5
--------------------	-----------------------------

Gene Name	RNF20
-----------	-------

Gene Alias	BRE1, BRE1A, FLJ11189, FLJ20382, KIAA2779, MGC129667, MGC129668, hBRE1
------------	--

Gene Description	ring finger protein 20
------------------	------------------------

Omim ID	607699
---------	------------------------

Gene Ontology	Hyperlink
---------------	---------------------------

Gene Summary

The protein encoded by this gene shares similarity with BRE1 of *S. cerevisiae*. Yeast BRE1 is a ubiquitin ligase required for the ubiquitination of histone H2B and the methylation of histone H3. [provided by RefSeq]

Other Designations

BRE1 E3 ubiquitin ligase homolog|homolog of *S. cerevisiae* BRE1