


# RNF25 monoclonal antibody (M07), clone 1D10

Catalog # H00064320-M07


Size 100 ug

## Applications




### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to RNF25 on formalin-fixed paraffin-embedded human testis. [antibody concentration 3 ug/ml]



### Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged RNF25 is 0.03 ng/ml as a capture antibody.



Western Blot detection against Immunogen (37.62 KDa) .

## Specification

### Product Description

Mouse monoclonal antibody raised against a partial recombinant RNF25.

<b>Immunogen</b>	RNF25 (NP_071898.2, 352 a.a. ~ 459 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
<b>Sequence</b>	RRHPKGGEGCHAPKGTRDTQELPPPEGPLKEPMDLKPEPHSQGVGPPQEKGPGSWQGPPIRTRDCVRWERSKGRTPGSSYPRLPRGQGAYRPGTRRESLGLESKDGS
<b>Host</b>	Mouse
<b>Reactivity</b>	Human
<b>Interspecies Antigen Sequence</b>	Mouse (82); Rat (84)
<b>Isotype</b>	IgG1 Kappa
<b>Quality Control Testing</b>	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.62 KDa) .
<b>Storage Buffer</b>	In 1x PBS, pH 7.4
<b>Storage Instruction</b>	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

## Applications

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to RNF25 on formalin-fixed paraffin-embedded human testis. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged RNF25 is 0.03 ng/ml as a capture antibody.

[Protocol Download](#)

- ELISA

## Gene Info — RNF25

Entrez GeneID

[64320](#)

GeneBank Accession#	<a href="#">NM_022453</a>
Protein Accession#	<a href="#">NP_071898.2</a>
Gene Name	RNF25
Gene Alias	AO7, FLJ13906
Gene Description	ring finger protein 25
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	The protein encoded by this gene contains a RING finger motif. The mouse counterpart of this protein has been shown to interact with RelA, the p65 subunit of NF-kappaB (NFkB), and modulate NFkB-mediated transcription activity. The mouse protein also binds ubiquitin-conjugating enzymes (E2s) and is a substrate for E2-dependent ubiquitination. [provided by RefSeq]
Other Designations	ring finger protein AO7