


BOLL monoclonal antibody (M39), clone 2G4


Catalog # H00066037-M39 Size 100 ug

Applications



Immunoprecipitation

Immunoprecipitation of BOLL transfected lysate using anti-BOLL monoclonal antibody and Protein A Magnetic Bead, and immunoblotted with BOLL MaxPab rabbit polyclonal antibody.



Western Blot detection against Immunogen (36.67 KDa).

Specification	
Product Description	Mouse monoclonal antibody raised against a partial recombinant BOLL.
Immunogen	BOLL (NP_149019, 80 a.a. ~ 176 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	FETQEDAQKILQEAEKLNYKDKKLNIGPAIRKQQVGIPRSSIMPAAGTMYLTTSTGYPYTYHNGVAYF HTPEVTSVPPPWPSRSVCSSPVMVAQPIY
Host	Mouse
Reactivity	Human



Product Information

Interspecies Antigen Sequence	Mouse (92); Rat (92)
Isotype	lgG2a Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.67 KDa).
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

• Western Blot (Recombinant protein)

Protocol Download

Immunoprecipitation

Immunoprecipitation of BOLL transfected lysate using anti-BOLL monoclonal antibody and Protein A Magnetic Bead, and immunoblotted with BOLL MaxPab rabbit polyclonal antibody.

Protocol Download

ELISA

Gene Info — BOLL	
Entrez GeneID	<u>66037</u>
GeneBank Accession#	NM_033030
Protein Accession#	NP_149019
Gene Name	BOLL
Gene Alias	-
Gene Description	bol, boule-like (Drosophila)
Omim ID	<u>606165</u>
Gene Ontology	<u>Hyperlink</u>



Product Information

Gene Summary

This gene belongs to the DAZ gene family required for germ cell development. It encodes an RNA -binding protein which is more similar to Drosophila Boule than to human proteins encoded by ge nes DAZ (deleted in azoospermia) or DAZL (deleted in azoospermia-like). Loss of this gene funct ion results in the absence of sperm in semen (azoospermia). Histological studies demonstrated t hat the primary defect is at the meiotic G2/M transition. Two alternatively spliced transcript variant s encoding distinct isoforms have been found for this gene. [provided by RefSeq

Other Designations

boule

Disease

- Azoospermia
- Infertility
- Oligospermia