


DDX54 monoclonal antibody (M02), clone 2E4

Catalog # H00079039-M02


Size 50 ug

Applications




Western Blot (Cell lysate)

DDX54 monoclonal antibody (M02), clone 2E4 Western Blot analysis of DDX54 expression in A-431 (Cat # L015V1).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to DDX54 on formalin-fixed paraffin-embedded human stomach. [antibody concentration 3 ug/ml]



Western Blot detection against Immunogen (37.18 KDa) .

Specification

Product Description

Mouse monoclonal antibody raised against a partial recombinant DDX54.

Immunogen	DDX54 (NP_076977, 778 a.a. ~ 881 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence	DDRDSDEEGASDRRGPERRGGRDRGQGASRPHAPGTPAGRVRPELTKQQILKQRRRAQKL HFLQRGGLKQLSARNRRRVQELQQGAFGRGARSKKGKMRKRM
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (84); Rat (84)
Isotype	IgG1 Kappa
Quality Control Testing	Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.18 KDa) .
Storage Buffer	In 1x PBS, pH 7.4
Storage Instruction	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Cell lysate)

DDX54 monoclonal antibody (M02), clone 2E4 Western Blot analysis of DDX54 expression in A-431 (Cat # L015V1).

[Protocol Download](#)

- Western Blot (Recombinant protein)

[Protocol Download](#)

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunoperoxidase of monoclonal antibody to DDX54 on formalin-fixed paraffin-embedded human stomach. [antibody concentration 3 ug/ml]

[Protocol Download](#)

- ELISA

Gene Info — DDX54

Entrez GeneID

[79039](#)

GeneBank Accession#	NM_024072
Protein Accession#	NP_076977
Gene Name	DDX54
Gene Alias	DP97, MGC2835
Gene Description	DEAD (Asp-Glu-Ala-Asp) box polypeptide 54
Omim ID	611665
Gene Ontology	Hyperlink
Gene Summary	<p>This gene encodes a member of the DEAD box protein family. DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. The nucleolar protein encoded by this gene interacts in a hormone-dependent manner with nuclear receptors, and represses their transcriptional activity. Alternative splice variants that encode different isoforms have been found for this gene. [provided by RefSeq]</p>
Other Designations	ATP-dependent RNA helicase DEAD box helicase 97 KDa