


MaxPab®

TRIM9 purified MaxPab mouse polyclonal antibody (B01P)

Catalog # H00114088-B01P

Size 50 ug

Applications



Western Blot (Transfected lysate)

Western Blot analysis of TRIM9 expression in transfected 293T cell line ([H00114088-T01](#)) by TRIM9 MaxPab polyclonal antibody.

Lane 1: TRIM9 transfected lysate (60.5 kDa).

Lane 2: Non-transfected lysate.

Specification

Product Description	Mouse polyclonal antibody raised against a full-length human TRIM9 protein.
Immunogen	TRIM9 (NP_443210.1, 1 a.a. ~ 550 a.a) full-length human protein.
Sequence	MEEMEEELKCPVCGSFYREPIILPCSHNLCQACARNILVQTPESESPQSHRAAGSGVSDYDYL DLKMSLYSEADSGYGSYGGFASAPTPCQKSPNGVRVFPPAMPPPATHLSPALAPVPRNSCITCP QCHRSILDDRGLRGFPKNRVLEGVIDRYQQSKAAALKCQLCEKAPKEATVMCEQCDFVYCDPC RLRCHPPRGPLAKHRLVPPAQGRVSRRLSPRKVSTCTDHELENHSMYCVQCKMPVCYQCLEEG KHSSHEVKALGAMWKLHKSQLSQALNGLSDRAKEAKEFLVQLRNMVQQIQENSVEFEACLVAQ CDALIDALNRRKAQLLARVNKEHEHKLKVVRDQISHCTVKLRQTGLMEYCLEVIKENDPSGFLQI SDALIRRVHLTEDQWGKGTLPRTTDFDLSLDNSPLLQSIHQLDVFQVKASSPVPATPILQLEEC CTHNNSATLSWKQPPLSTVPADGYILELDDGNGGQFREYVVGKETMCTVDGLHFNSTYNARVKA FNKTGVSPYSKTLVLQTSEKALQQYPSERELRGI
Host	Mouse
Reactivity	Human
Interspecies Antigen Sequence	Mouse (98); Rat (98)
Quality Control Testing	Antibody reactive against mammalian transfected lysate.

Storage Buffer

In 1x PBS, pH 7.4

Storage Instruction

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of TRIM9 expression in transfected 293T cell line ([H00114088-T01](#)) by TRIM9 MaxPab polyclonal antibody.

Lane 1: TRIM9 transfected lysate(60.5 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Info — TRIM9

Entrez GeneID[114088](#)**GeneBank Accession#**[NM_052978.3](#)**Protein Accession#**[NP_443210.1](#)**Gene Name**

TRIM9

Gene Alias

KIAA0282, RNF91, SPRING

Gene Description

tripartite motif-containing 9

Omim ID[606555](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The protein localizes to cytoplasmic bodies. Its function has not been identified. Alternate splicing of this gene generates two transcript variants encoding different isoforms. [provided by RefSeq]

Other Designations

homolog of rat RING finger Spring|tripartite motif protein 9

Disease

- [Tobacco Use Disorder](#)