


TNFRSF13C (Human) Matched Antibody Pair

Catalog # H00115650-AP22 Size 1 Set

Applications



Sandwich ELISA detection sensitivity ranging from 3 ng/ml to 100 ng/ml.

Specification	
Product Description	This antibody pair set comes with a matched antibody pair to detect and quantify the protein level of human TNFRSF13C.
Reactivity	Human
Quality Control Testing	Standard curve using recombinant protein (H00115650-P01) as an analyte. Sandwich ELISA detection sensitivity ranging from 3 ng/ml to 100 ng/ml.
Supplied Product	Antibody pair set content: 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-TNFRSF13C (100 ug) 2. Detection antibody: mouse purified polyclonal anti-TNFRSF13C (20 ug) *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.
Storage Instruction	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze tha w cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

ELISA Pair (Recombinant protein)

Protocol Download



Gene Info — TNFRSF13C	
Entrez GenelD	<u>115650</u>
Gene Name	TNFRSF13C
Gene Alias	BAFF-R, BAFFR, CD268, MGC138235
Gene Description	tumor necrosis factor receptor superfamily, member 13C
Omim ID	<u>606269</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	B cell-activating factor (BAFF) enhances B-cell survival in vitro and is a regulator of the peripheral B-cell population. Overexpression of Baff in mice results in mature B-cell hyperplasia and sympto ms of systemic lupus erythematosus (SLE). Also, some SLE patients have increased levels of BAFF in serum. Therefore, it has been proposed that abnormally high levels of BAFF may contribute to the pathogenesis of autoimmune diseases by enhancing the survival of autoreactive B cells. The protein encoded by this gene is a receptor for BAFF and is a type III transmembrane protein containing a single extracellular cysteine-rich domain. It is thought that this receptor is the principal receptor required for BAFF-mediated mature B-cell survival. [provided by RefSeq
Other Designations	B cell-activating factor receptor BAFF receptor OTTHUMP00000028746

Pathway

- Cytokine-cytokine receptor interaction
- Primary immunodeficiency

Disease

- Common Variable Immunodeficiency
- Genetic Predisposition to Disease
- Hematologic Diseases
- Hodgkin Disease
- Lymphoproliferative Disorders
- Multiple Myeloma
- Occupational Diseases



- Waldenstrom Macroglobulinemia
- Werner syndrome