


# CLDN1 HEK293 Cell Transient Overexpression Lysate(Non-Denatured)


Catalog # L037T6 Size 100 ug

## **Applications**



### SDS-PAGE Gel

CLDN1 transfected lysate



## Western Blot

Lane 1: CLDN1 transfected lysate (23 KDa).

Lane 2: Non-transfected lysate.

Specification	
Transfected Cell Line	HEK293
Plasmid	pCMV-CLDN1 full length
Host	Human
Theoretical MW (kDa)	23
Lysis Buffer	Modified RIPA Lysis Buffer:50 mM Tris-HCl pH 7.4, 150 mM NaCl, 1mM EDTA, 1% Triton X-100, 0. 1% SDS, 1% Sodium deoxycholate, 1mM PMSF.
Concentration	2 mg/ml



## **Product Information**

Quality Control Testing	Transient overexpression cell lysate was tested with Anti-CLDN1 antibody (H00009076-M01) by We stern Blots.  SDS-PAGE Gel CLDN1 transfected lysate Western Blot Lane 1: CLDN1 transfected lysate ( 23 KDa). Lane 2: Non-transfected lysate.
Recommend Usage	Use it directly for immuno-precipitation, or heat lysate with SDS gel loading buffer to 95°C for 5 minut es followed by rapid cooling for western blot application. If dissociating conditions are required, add r educing agent prior to heating.
Storage Buffer	In modified RIPA Lysis Buffer.
Storage Instruction	Store at -80°C. Aliquot to avoid repeated freezing and thawing.

# **Applications**

- Western Blot
- Immunoprecipitation

**Protocol Download** 

Gene Info — CLDN1	
Entrez GeneID	9076
GeneBank Accession#	BC012471
Protein Accession#	<u>AAH12471</u>
Gene Name	CLDN1
Gene Alias	CLD1, ILVASC, SEMP1
Gene Description	claudin 1
Omim ID	<u>603718</u> <u>607626</u>
Gene Ontology	<u>Hyperlink</u>



### **Product Information**

#### **Gene Summary**

Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, f orming continuous seals around cells and serving as a physical barrier to prevent solutes and wat er from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary groov es in the inwardly facing extracytoplasmic leaflet. The protein encoded by this gene, a member of the claudin family, is an integral membrane protein and a component of tight junction strands. Los sof function mutations result in neonatal ichthyosis-sclerosing cholangitis syndrome. [provided by RefSeq

#### **Other Designations**

senescence-associated epithelial membrane protein 1

## **Pathway**

- Cell adhesion molecules (CAMs)
- Leukocyte transendothelial migration
- Pathogenic Escherichia coli infection EHEC
- Tight junction

#### Disease

- Genetic Predisposition to Disease
- Hepatitis C
- Substance Abuse
- Tobacco Use Disorder