


HK1 monoclonal antibody, clone 7A7


Catalog # MAB10682 Size 100 uL

Applications




Western Blot (Cell lysate)

Western blot analysis using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) against Jurkat (1) , HeLa (2) , HepG2 (3) , MCF-7 (4) and PC-12 (5) cell lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical analysis of paraffin-embedded human salivary gland tissues (upper) and kidney tissues (bottom) using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) with DAB staining.



Immunofluorescence

Immunofluorescence analysis of NIH/3T3 cells using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) (green) . Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Specification	
Product Description	Mouse monoclonal antibody raised against partial recombinant HK1.
Immunogen	Recombinant protein corresponding to human HK1.
Host	Mouse
Theoretical MW (kDa)	102
Reactivity	Human, Mouse, Rat
Form	Liquid
Isotype	lgG1
Recommend Usage	ELISA (1:10000) Western Blot (1:500-1:2000) Immunohistochemistry (1:200-1:1000) Immunofluorescence (1:200-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In ascites (0.03% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) against Jurkat (1), HeLa (2), HepG2 (3), MCF-7 (4) and PC-12 (5) cell lysate.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human salivary gland tissues (upper) and kidney tissues (bottom) using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) with DAB staining.

Immunofluorescence

Immunofluorescence analysis of NIH/3T3 cells using HK1 monoclonal antibody, clone 7A7 (Cat # MAB10682) (green) . Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Enzyme-linked Immunoabsorbent Assay

Gene Info — HK1	
Entrez GenelD	3098
Gene Name	HK1
Gene Alias	HK1-ta, HK1-tb, HK1-tc, HKI, HXK1
Gene Description	hexokinase 1
Omim ID	142600
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Hexokinases phosphorylate glucose to produce glucose-6-phosphate, the first step in most gluco se metabolism pathways. This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic anemia due to hexokinase deficiency. Alternative splicing of this gene results in five transcript variants which encode different isoforms, some of which are tissue-specific. Each isoform has a distinct N-terminus; the remainder of the protein is identical among all the isoforms. A sixth transcript variant has been described, but due to the presence of several stop codons, it is not thought to encode a protein. [provided by RefSeq
Other Designations	OTTHUMP00000019725 brain form hexokinase glycolytic enzyme

Pathway

- Amino sugar and nucleotide sugar metabolism
- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- Fructose and mannose metabolism



- Galactose metabolism
- Glycolysis / Gluconeogenesis
- Insulin signaling pathway
- Metabolic pathways
- Starch and sucrose metabolism
- Streptomycin biosynthesis
- Type II diabetes mellitus

Disease

- Alzheimer Disease
- Attention Deficit Disorder with Hyperactivity
- Diabetes Mellitus
- Diseases in Twins
- Genetic Predisposition to Disease
- Obesity
- Tobacco Use Disorder