


PGR monoclonal antibody, clone SPM566

Catalog # MAB12047 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast carcinoma with PGR monoclonal antibody, clone SPM566 (Cat# MAB12047).

Specification

Product Description	Mouse monoclonal antibody raised against recombinant PGR.
Immunogen	Recombinant protein corresponding to human PGR.
Host	Mouse
Theoretical MW (kDa)	81, 116
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Immunohistochemistry (0.5-1 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.05% BSA, 0.05% sodium azide).

Storage Instruction

Store at 4°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human breast carcinoma with PGR monoclonal antibody, clone SPM566 (Cat# MAB12047).

Gene Info — PGR

Entrez GeneID[5241](#)**Gene Name**

PGR

Gene Alias

NR3C3, PR

Gene Description

progesterone receptor

Omim ID[607311](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a member of the steroid receptor superfamily. The encoded protein mediates the physiological effects of progesterone, which plays a central role in reproductive events associated with the establishment and maintenance of pregnancy. This gene uses two distinct promoters and translation start sites in the first exon to produce two isoforms, A and B. The two isoforms are identical except for the additional 165 amino acids found in the N-terminus of isoform A only, and mediate their own response genes and physiologic effects with little overlap. The location of transcription initiation for isoform B has not been clearly determined. [provided by RefSeq]

Other Designations

-

Disease

- [Abortion](#)
- [Adenocarcinoma](#)

- [Adhesions](#)
- [Aortic Aneurysm](#)
- [Arthritis](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Fetal Diseases](#)
- [Gender Identity](#)
- [Genetic Predisposition to Disease](#)
- [Hyperprolactinemia](#)
- [Hypertension](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leiomyoma](#)

- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Migraine Disorders](#)
- [Musculoskeletal Diseases](#)
- [Neoplasm Invasiveness](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Cysts](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Panic Disorder](#)
- [Peritoneal Diseases](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Proteinuria](#)
- [Psychiatric Status Rating Scales](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Skin Diseases](#)
- [Stomach Neoplasms](#)

- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Diseases](#)
- [Uterine Neoplasms](#)
- [Vertigo](#)
- [Werner syndrome](#)