


RecomAb™

Histone H3 (phospho S10) monoclonal antibody, clone RM163

Catalog # MAB12793


Size 100 ug

Applications



Western Blot (Cell lysate)

Western Blot analysis of Lane 1: acid extracts of HeLa cell treated with Nocodazole and Lane 2: acid extracts of HeLa cell untreated with Histone H3 (phospho S10) monoclonal antibody, clone RM163 (Cat # MAB12793) at 0.5 ug/mL working concentration, showed a band of Histone H3 phosphorylated at Serine 10.



Immunocytochemistry

Immunocytochemical staining of HeLa cells with Histone H3 (phospho S10) monoclonal antibody, clone RM163 (Cat # MAB12793) (Red). Actin filaments have been labeled with fluorescein phalloidin (Green).

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against of human histone H3 (S10).
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic phosphopeptide corresponding to residues surrounding S10 of human Histone H3.
Sequence	N/A

Specificity	This antibody reacts to Histone H3 phosphorylated at Serine 10. No cross reactivity with other phosphorylated histones.
Form	Liquid
Purification	Protein A purification
Isotype	IgG
Recommend Usage	ELISA (0.2 ug/mL-1 ug/mL) Immunocytochemistry (0.5 ug/mL-2 ug/mL) Western Blot (0.5 ug/mL-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western Blot analysis of Lane 1: acid extracts of HeLa cell treated with Nocodazole and Lane 2: acid extracts of HeLa cell untreated with Histone H3 (phospho S10) monoclonal antibody, clone RM163 (Cat # MAB12793) at 0.5 ug/mL working concentration, showed a band of Histone H3 phosphorylated at Serine 10.

- Immunocytochemistry

Immunocytochemical staining of HeLa cells with Histone H3 (phospho S10) monoclonal antibody, clone RM163 (Cat # MAB12793) (Red). Actin filaments have been labeled with fluorescein phalloidin (Green).

- Enzyme-linked Immunoabsorbent Assay

Gene Info — HIST1H3A

Entrez GeneID	8350
Protein Accession#	P84243
Gene Name	HIST1H3A
Gene Alias	H3/A, H3FA

Gene Description	histone cluster 1, H3a
Omim ID	602810
Gene Ontology	Hyperlink
Gene Summary	<p>Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq]</p>
Other Designations	H3 histone family, member A histone 1, H3a

Pathway

- [Systemic lupus erythematosus](#)