


ATM monoclonal antibody, clone 3E8

Catalog # MAB12914 Size 50 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human kidney with ATM monoclonal antibody, clone 3E8 (Cat # MAB12914) at 5 ug/mL working concentration.

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human ATM.
Immunogen	Recombinant protein corresponding to amino acids 980-1512 of human ATM.
Host	Mouse
Reactivity	Human
Form	Liquid
Purification	Protein G purification
Isotype	IgG1
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (5 ug/mL) Immunoprecipitation Western Blot The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4.
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human kidney with ATM monoclonal antibody, clone 3E8 (Cat # MAB12914) at 5 ug/mL working concentration.

- Immunoprecipitation

Gene Info — ATM

Entrez GeneID	472
Protein Accession#	Q13315
Gene Name	ATM
Gene Alias	AT1, ATA, ATC, ATD, ATDC, ATE, DKFZp781A0353, MGC74674, TEL1, TELO1
Gene Description	ataxia telangiectasia mutated
Omim ID	114480 208900 607585
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene belongs to the PI3/P4-kinase family. This protein is an important cell cycle checkpoint kinase that phosphorylates; thus, it functions as a regulator of a wide variety of downstream proteins, including tumor suppressor proteins p53 and BRCA1, checkpoint kinase CHK2, checkpoint proteins RAD17 and RAD9, and DNA repair protein NBS1. This protein and the closely related kinase ATR are thought to be master controllers of cell cycle checkpoint signaling pathways that are required for cell response to DNA damage and for genome stability. Mutations in this gene are associated with ataxia telangiectasia, an autosomal recessive disorder. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]
Other Designations	AT mutated TEL1, telomere maintenance 1, homolog ataxia telangiectasia mutated (includes complementation groups A, C and D) ataxia telangiectasia mutated protein human phosphatidylinositol 3-kinase homolog serine-protein kinase ATM

Pathway

- [Apoptosis](#)

- [Cell cycle](#)
- [p53 signaling pathway](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Ataxia telangiectasia](#)
- [Atherosclerosis](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chromosome Aberrations](#)
- [Cocarcinogenesis](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [DNA Damage](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Fibrosis](#)
- [Genetic Predisposition to Disease](#)
- [Glioma](#)
- [Hodgkin Disease](#)
- [Hypercholesterolemia](#)

- [Hypertension](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Micronuclei](#)
- [Mouth Neoplasms](#)
- [Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Radiodermatitis](#)
- [Schizophrenia](#)
- [Silicosis](#)
- [Small Cell Lung Carcinoma](#)
- [Spinocerebellar ataxia](#)

- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)