


# CYCS monoclonal antibody, clone SPM389

Catalog # MAB13140 Size 100 ug

## **Applications**



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human salivary tumor (A) and human pancreas (B) with CYCS monoclonal antibody, clone SPM389 (Cat # MAB13140).

Specification	
Product Description	Mouse monoclonal antibody raised against synthetic peptide of CYCS.
Immunogen	A synthetic peptide corresponding to amino acids 1-80, 81-104 and 66-104 of pigeon CYCS.
Host	Mouse
Theoretical MW (kDa)	15
Reactivity	Human, Pigeon
Form	Liquid
Purification	Protein A/G purification
Isotype	lgG2b, kappa



### **Product Information**

Recommend Usage	Flow Cytometry (0.5-1 ug/10 <sup>6</sup> cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (0.25-0.5 ug/mL) Western Blot (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 1 mM PBS.
Storage Instruction	Store at -20 to -80°C. Aliquot to avoid repeated freezing and thawing.

## **Applications**

- Western Blot
- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human salivary tumor (A) and human pancreas (B) with CYCS monoclonal antibody, clone SPM389 (Cat # MAB13140).

- Immunofluorescence
- Flow Cytometry

Gene Info — CYCS	
Entrez GeneID	<u>54205</u>
Protein Accession#	<u>P99999</u>
Gene Name	CYCS
Gene Alias	CYC, HCS
Gene Description	cytochrome c, somatic
Omim ID	123970
Gene Ontology	<u>Hyperlink</u>



#### **Product Information**

#### **Gene Summary**

This gene encodes cytochrome c, a component of the electron transport chain in mitochondria. The heme group of cytochrome c accepts electrons from the b-c1 complex and transfers electrons to the cytochrome oxidase complex. Cytochrome c is also involved in initiation of apoptosis. Upon re lease of cytochrome c to the cytoplasm, the protein binds apoptotic protease activating factor which activates the apoptotic initiator procaspase 9. Many cytochrome c pseudogenes exist, scatter ed throughout the human genome. [provided by RefSeq

**Other Designations** 

cytochrome c

## **Pathway**

- Amyotrophic lateral sclerosis (ALS)
- Apoptosis
- Colorectal cancer
- p53 signaling pathway
- Pathways in cancer
- Small cell lung cancer

#### Disease

Thrombocytopenia