

AFP monoclonal antibody, clone MBS-12

Catalog # MAB14250 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human fetal liver with AFP monoclonal antibody, clone MBS-12 (Cat # MAB14250).

Specification	
Product Description	Mouse monoclonal antibody raised against full length recombinant human AFP.
Immunogen	Recombinant protein corresponding to full length human AFP.
Host	Mouse
Theoretical MW (kDa)	70
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	lgG1, kappa
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells in 0.1 mL) Immunofluorescence (0.5-1 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In 10 mM PBS.

Copyright © 2023 Abnova Corporation. All Rights Reserved.



Product Information

Storage Instruction

Store at -20 to -80°C. Aliquot to avoid repeated freezing and thawing.

Applications

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human fetal liver with AFP monoclonal antibody, clone MBS-12 (Cat # MAB14250).

- Immunofluorescence
- Flow Cytometry

Gene Info — AFP

Other Designations	OTTHUMP00000160480 alpha-1-fetoprotein alpha-fetoglobulin
Gene Summary	This gene encodes alpha-fetoprotein, a major plasma protein produced by the yolk sac and the liv er during fetal life. Alpha-fetoprotein expression in adults is often associated with hepatoma or ter atoma. However, hereditary persistance of alpha-fetoprotein may also be found in individuals with no obvious pathology. The protein is thought to be the fetal counterpart of serum albumin, and the alpha-fetoprotein and albumin genes are present in tandem in the same transcriptional orientation on chromosome 4. Alpha-fetoprotein is found in monomeric as well as dimeric and trimeric forms, and binds copper, nickel, fatty acids and bilirubin. The level of alpha-fetoprotein in amniotic fluid is used to measure renal loss of protein to screen for spina bifida and anencephaly. [provided by Re fSeq
Gene Ontology	<u>Hyperlink</u>
Omim ID	<u>104150</u>
Gene Description	alpha-fetoprotein
Gene Alias	FETA, HPAFP
Gene Name	AFP
Protein Accession#	<u>P02771</u>
Entrez GenelD	<u>174</u>

Disease

😵 Abnova

Product Information

- Carcinoma
- Liver Cirrhosis
- Liver Neoplasms