


# Calprotectin monoclonal antibody, clone CPT/1028

Catalog # MAB14601 Size 100 ug

## **Applications**



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with Calprotectin monoclonal antibody, clone CPT/1028 (Cat # MAB14601).

Specification	
Product Description	Mouse monoclonal antibody raised against human calprotectin.
Immunogen	Recombinant protein corresponding to human calprotectin.
Host	Mouse
Theoretical MW (kDa)	14
Reactivity	Human
Specificity	Recognizes the L1 or calprotectin molecule, an intra-cytoplasmic antigen comprising of a 12 kDa alp ha chain and a 14 kDa beta chain. This antibody reacts with neutrophils, monocytes, macrophages, and squamous mucosal epithelia and is important for identifying macrophages in tissue sections.
Form	Liquid
Isotype	lgM, kappa
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1-2 ug/mL for 30 min at R T) (Staining of formalin-fixed tissues requires heating tissue sections in 10 mM Tris with 1 mM EDTA , pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes)  The optimal working dilution should be determined by the end user.



### **Product Information**

Storage Buffer	In 10 mM PBS (0.05% sodium azide).
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## **Applications**

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human tonsil with Calprotectin monoclonal antibody, clone CPT/1028 (Cat # MAB14601).

Gene Info — S100A8	
Entrez GeneID	6279
Protein Accession#	P05109; P06702
Gene Name	S100A8
Gene Alias	60B8AG, CAGA, CFAG, CGLA, CP-10, L1Ag, MA387, MIF, MRP8, NIF, P8
Gene Description	S100 calcium binding protein A8
Omim ID	<u>123885</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-han d calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and as a cytokine. Altered expression of this protein is associated with the disease cystic fibrosis. [provided by RefSeq
Other Designations	OTTHUMP00000015329 OTTHUMP00000015330 S100 calcium-binding protein A8 S100 calcium-binding protein A8 (calgranulin A) calgranulin A cystic fibrosis antigen

Gene Info — S10	JUA9
-----------------	------

Entrez GenelD 6280



#### **Product Information**

Protein Accession#	P05109; P06702
Gene Name	S100A9
Gene Alias	60B8AG, CAGB, CFAG, CGLB, L1AG, LIAG, MAC387, MIF, MRP14, NIF, P14
Gene Description	S100 calcium binding protein A9
Omim ID	123886
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-han d calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and altered expression of this protein is associated with the disease cystic fibrosis. [provided by RefSeq
Other Designations	OTTHUMP00000015331 S100 calcium-binding protein A9 S100 calcium-binding protein A9 (cal granulin B) calgranulin B

### **Publication Reference**

 Expression of S100 proteins in normal human tissues and common cancers using tissue microarrays: S100A6, S100A8, S100A9 and S100A11 are all overexpressed in common cancers.

Cross SS, Hamdy FC, Deloulme JC, Rehman I.

Histopathology 2005 Mar; 46(3):256.

Application: IHC-P, Human, Breast carcinoma, Human tissue microarray, Kidney, Ovary adenocarcinoma, Squamous cell carcinoma of the uterine cervix

#### Disease

- Aggressive Periodontitis
- Dermatitis
- Dermatitis
- Genetic Predisposition to Disease
- Genetic Predisposition to Disease
- Kidney Calculi



- Kidney Calculi
- Periodontitis