


EPO monoclonal antibody, clone EPO/1368

Catalog # MAB14774 Size 100 ug

Applications



Western Blot

Western Blot analysis of Lane 1: human heart and Lane 2: HepG2 lysates with EPO monoclonal antibody, clone EPO/1368 (Cat # MAB14774).

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human EPO.
Immunogen	Recombinant protein corresponding to amino acids 28-162 of human EPO.
Host	Mouse
Theoretical MW (kDa)	37
Reactivity	Human
Form	Liquid
Purification	Protein A/G purification
Isotype	IgG
Recommend Usage	Flow Cytometry (0.5-1 ug/10 ⁶ cells) Immunofluorescence (1-2 ug/mL) Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (4-8 ug/mL) Western Blotting (0.5-1 ug/mL) The optimal working dilution should be determined by the end user.

Storage Buffer

In 10 mM PBS.

Storage Instruction

Store at -20 to -80°C.
Aliquot to avoid repeated freezing and thawing.

Applications

- Western Blot

Western Blot analysis of Lane 1: human heart and Lane 2: HepG2 lysates with EPO monoclonal antibody, clone EPO/1368 (Cat # MAB14774).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

- Immunofluorescence

- Flow Cytometry

Gene Info — EPO

Entrez GeneID[2056](#)**Protein Accession#**[P01588](#)**Gene Name**

EPO

Gene Alias

EP, MGC138142

Gene Description

erythropoietin

Omim ID[133170](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene is a member of the EPO/TPO family and encodes a secreted, glycosylated cytokine composed of four alpha helical bundles. The protein is found in the plasma and regulates red cell production by promoting erythroid differentiation and initiating hemoglobin synthesis. This protein also has neuroprotective activity against a variety of potential brain injuries and antiapoptotic functions in several tissue types. [provided by RefSeq]

Other Designations

epoetin

Publication Reference

- [Erythropoietin: structure, control of production, and function.](#)

Jelkmann W.

Physiological Reviews 1992 Apr; 72(2):449.

Pathway

- [Cytokine-cytokine receptor interaction](#)
- [Hematopoietic cell lineage](#)
- [Jak-STAT signaling pathway](#)

Disease

- [Amyotrophic lateral sclerosis](#)
- [Cardiovascular Diseases](#)
- [Dermatitis](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Diabetic Retinopathy](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Leukemia](#)
- [Myelodysplastic Syndromes](#)
- [Retinopathy of Prematurity](#)
- [Rhinitis](#)