


RecomAb™

# Mouse IgG2b monoclonal antibody, clone RM108 (Biotin)


Catalog # MAB14938 Size 50 ug

### **Applications**



#### Western Blot

Western blot analysis of Lane 1: nonreduced (-) and Lane 2: reduced (+) mouse IgG2b (20 ng/lane) with Mouse IgG2b monoclonal antibody, clone RM108 (Biotin) (Cat # MAB14938) at 0.2 ug/mL working concentration. This antibody reacts to nonreduced IgG2b (~150 kDa) much stronger than the reduced gamma 2b form (~50 kDa).



#### Enzyme-linked Immunoabsorbent Assay

ELISA analysis of Mouse IgG2b monoclonal antibody, clone RM108 (Cat # MAB12769) at the following concentrations: 0.2 ug/mL, 0.05 ug/mL, and 0.01 ug/mL. The plate was coated with 50 ng/well of different immunoglobulins and the result shows this antibody reacts to the Fc region of mouse IgG2b; no cross reactivity with IgG1, IgG2a, IgG3, IgM, IgA, IgE, human IgG, rat IgG, or goat IgG. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.

### Enzyme-linked Immunoabsorbent Assay

A titer ELISA of mouse IgG2b. The plate was coated with different amounts of mouse IgG2b. A serial dilution of Mouse IgG2b monoclonal antibody, clone RM108 (Biotin) (Cat# MAB14938) was used as the primary antibody. An alkaline phosphatase conjugated anti- rabbit IgG as the secondary antibody.

## Specification

**Product Description** 

Rabbit recombinant monoclonal antibody raised against mouse IgG2b.



#### **Product Information**

Antibody Species	Rabbit
Immunogen	Original antibody is raised against mouse lgG2b.
Sequence	N/A
Reactivity	Mouse
Form	Liquid
Conjugation	Biotin
Purification	Protein A purification
Isotype	lgG
Recommend Usage	ELISA (0.005-0.2 ug/mL)
	Flow Cytometry
	Immunocytochemistry (0.5-2 ug/mL)
	Immunohistochemistry (0.5-2 ug/mL)
	Immunoprecipitation
	Western Blotting (0.1-0.5 ug/mL)  The optimal working dilution should be determined by the end user.
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C.
	Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul
	d be handled by trained staff only.

# **Applications**

Western Blot

Western blot analysis of Lane 1: nonreduced (-) and Lane 2: reduced (+) mouse IgG2b (20 ng/lane) with Mouse IgG2b monoclonal antibody, clone RM108 (Biotin) (Cat # MAB14938) at 0.2 ug/mL working concentration. This antibody reacts to nonreduced IgG2b (~150 kDa) much stronger than the reduced gamma 2b form (~50 kDa).

- Immunohistochemistry
- Immunocytochemistry
- Immunoprecipitation



Enzyme-linked Immunoabsorbent Assay

ELISA analysis of Mouse IgG2b monoclonal antibody, clone RM108 (Cat # MAB12769) at the following concentrations: 0.2 ug/mL, 0.05 ug/mL, and 0.01 ug/mL. The plate was coated with 50 ng/well of different immunoglobulins and the result shows this antibody reacts to the Fc region of mouse IgG2b; no cross reactivity with IgG1, IgG2a, IgG3, IgM, IgA, IgE, human IgG, rat IgG, or goat IgG. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.

Enzyme-linked Immunoabsorbent Assay

A titer ELISA of mouse IgG2b. The plate was coated with different amounts of mouse IgG2b. A serial dilution of Mouse IgG2b monoclonal antibody, clone RM108 (Biotin) (Cat# MAB14938) was used as the primary antibody. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.

Flow Cytometry

Gene Info — Igh-3	
Entrez GeneID	<u>16016</u>
Protein Accession#	P01867
Gene Name	lgh-3
Gene Alias	IGHG2B, lgG2b, gamma2b
Gene Description	immunoglobulin heavy chain 3 (serum lgG2b)
Gene Ontology	<u>Hyperlink</u>
Other Designations	-