

RecomAb™

GAPDH monoclonal antibody, clone RM114 (Biotin)


Catalog # MAB14963 Size 50 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of A431 cell lysate with GAPDH monoclonal antibody, clone RM114 (Biotin) (Cat # MAB14963) at 1:1000 dilution.



Immunocytochemistry

Immunocytochemistry staining of HeLa cells with GAPDH monoclonal antibody, clone RM114 (Biotin) (Cat # MAB14963) (Red) at 1:200 dilution. Blue: DAPI was used to stain the cell nuclei.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against of GAPDH.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to C-terminus of human GAPD H.
Sequence	N/A
Form	Liquid

😵 Abnova

Product Information

Conjugation	Biotin
Purification	Protein A purification
Isotype	lgG
Recommend Usage	ChIP (1:200)
	ELISA
	Flow Cytometry
	Immunocytochemistry (1:200)
	Immunohistochemistry (1:200)
	Immunoprecipitation (1:200)
	Western Blotting (1:1000)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C.
_	Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- ChIP
- Western Blot (Cell lysate)

Western blot analysis of A431 cell lysate with GAPDH monoclonal antibody, clone RM114 (Biotin) (Cat # MAB14963) at 1:1000 dilution.

- Immunohistochemistry
- Immunocytochemistry

Immunocytochemistry staining of HeLa cells with GAPDH monoclonal antibody, clone RM114 (Biotin) (Cat # MAB14963) (Red) at 1:200 dilution. Blue: DAPI was used to stain the cell nuclei.

- Immunoprecipitation
- Enzyme-linked Immunoabsorbent Assay
- Flow Cytometry



Gene Info — GAPDH

Entrez GenelD	<u>2597</u>
Protein Accession#	<u>P04406</u>
Gene Name	GAPDH
Gene Alias	G3PD, GAPD, MGC88685
Gene Description	glyceraldehyde-3-phosphate dehydrogenase
Omim ID	<u>138400</u>
Gene Ontology	Hyperlink
Gene Summary	The product of this gene catalyzes an important energy-yielding step in carbohydrate metabolism, the reversible oxidative phosphorylation of glyceraldehyde-3-phosphate in the presence of inorga nic phosphate and nicotinamide adenine dinucleotide (NAD). The enzyme exists as a tetramer of identical chains. Many pseudogenes similar to this locus are present in the human genome. [provi ded by RefSeq
Other Designations	OTTHUMP00000174431 OTTHUMP00000174432 aging-associated gene 9 protein glyceraldehy de 3-phosphate dehydrogenase

Pathway

- Biosynthesis of alkaloids derived from histidine and purine
- Biosynthesis of alkaloids derived from ornithine
- Biosynthesis of alkaloids derived from shikimate pathway
- Biosynthesis of alkaloids derived from terpenoid and polyketide
- Biosynthesis of phenylpropanoids
- Biosynthesis of plant hormones
- Biosynthesis of terpenoids and steroids
- <u>Glycolysis / Gluconeogenesis</u>
- Metabolic pathways



Product Information

Disease

- <u>Alzheimer disease</u>
- Cardiovascular Diseases
- Diabetes Complications
- <u>Metabolic Syndrome X</u>
- <u>Neoplasms</u>
- <u>Nerve Degeneration</u>
- Osteoporosis