


APOA4 monoclonal antibody, clone CL0468


Catalog # MAB15632 Size 100 uL

Applications



Western Blot (Tissue lysate)

Western Blot analysis of human plasma tissue lysate with APOA4 monoclonal antibody, clone CL0468 (Cat # MAB15632).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human duodenum with APOA4 monoclonal antibody, clone CL0468 (Cat # MAB15632) shows strong cytoplasmic immunoreactivity in glandular cells.

Specification

Product Description	Mouse monoclonal antibody raised against partial recombinant human APOA4.
Immunogen	Recombinant protein corresponding to human APOA4.
Epitope	This antibody binds to an epitope located within the peptide sequence GHLSFLEKDL as determined by overlapping synthetic peptides.
Sequence	LEGLTFQMKKNAEELKARISASAEELRQRLAPLAEDVRGNLRGNTGLQKSLAELGGHLDQQVE EFRRRVPEYPYGENFNKALVQQMEQLRQKLGPAGDVEGHLSFLEKDLRDKVNSFFSTFKEKESQ DKTLSLP

Host	Mouse
Reactivity	Human
Form	Liquid
Purification	Protein A purification
Isotype	IgG1
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:200-1:500) Western Blot (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western Blot analysis of human plasma tissue lysate with APOA4 monoclonal antibody, clone CL0468 (Cat # MAB15632).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human duodenum with APOA4 monoclonal antibody, clone CL0468 (Cat # MAB15632) shows strong cytoplasmic immunoreactivity in glandular cells.

Gene Info — APOA4

Entrez GeneID	337
Protein Accession#	P06727
Gene Name	APOA4
Gene Alias	MGC142154, MGC142156
Gene Description	apolipoprotein A-IV
Omim ID	107690
Gene Ontology	Hyperlink

Gene Summary

Apolipoprotein (apo) A-IV gene contains 3 exons separated by two introns. A sequence polymorphism has been identified in the 3'UTR of the third exon. The primary translation product is a 396-residue preprotein which after proteolytic processing is secreted its primary site of synthesis, the intestine, in association with chylomicron particles. Although its precise function is not known, apo A-IV is a potent activator of lecithin-cholesterol acyltransferase in vitro. [provided by RefSeq]

Other Designations

-

Disease

- [Amyotrophic lateral sclerosis](#)
- [Arteriosclerosis](#)
- [Atherosclerosis](#)
- [Brain Ischemia](#)
- [Calcinosis](#)
- [Cardiovascular Diseases](#)
- [Carotid Artery Diseases](#)
- [Cerebrovascular Disorders](#)
- [Constriction](#)
- [Coronary Artery Disease](#)
- [Coronary Disease](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Diabetic Angiopathies](#)
- [Disease Progression](#)
- [Diseases in Twins](#)
- [Drug Toxicity](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Gallstones](#)

- [Genetic Predisposition to Disease](#)
- [Hypercholesterolemia](#)
- [Hyperlipidemia](#)
- [Hyperlipidemias](#)
- [Hyperlipoproteinemia Type II](#)
- [Hyperlipoproteinemia Type IV](#)
- [Hypertension](#)
- [Hypertriglyceridemia](#)
- [Hyperuricemia](#)
- [Infant](#)
- [Inflammation](#)
- [Insulin Resistance](#)
- [Lung Neoplasms](#)
- [Lymphoma](#)
- [Metabolic Syndrome X](#)
- [Myocardial Infarction](#)
- [Obesity](#)
- [Obstetric Labor](#)
- [Osteoporosis](#)
- [Pulmonary Disease](#)
- [Pulmonary Embolism](#)
- [Recurrence](#)
- [Stroke](#)
- [Thromboembolism](#)
- [Thrombophilia](#)
- [Thrombosis](#)

- [Urinary Bladder Neoplasms](#)
- [Venous Thrombosis](#)
- [Werner syndrome](#)