


ALPL monoclonal antibody, clone DBF-1


Catalog # MAB19541 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of (1)HepG2 cell lysate; (2)JAR cell lysate with ALPL monoclonal antibody.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of paraffin-embedded human liver with ALPL monoclonal antibody.

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human ALPL.
Immunogen	A synthetic peptide corresponding to human ALPL.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification
Isotype	IgG

Recommend Usage	Immunocytochemistry (1:50-1:100) Immunofluorescence (1:50-1:100) Immunohistochemistry (1:50-1:200) Immunoprecipitation (1:50) Flow Cytometry (1:50) Western Blot (1:5000-1:10000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of (1)HepG2 cell lysate; (2)JAR cell lysate with ALPL monoclonal antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of paraffin-embedded human liver with ALPL monoclonal antibody.

- Immunocytochemistry

- Immunofluorescence

- Immunoprecipitation

- Flow Cytometry

Gene Info — ALPL

Entrez GeneID	249
Protein Accession#	P05186
Gene Name	ALPL
Gene Alias	AP-TNAP, FLJ40094, FLJ93059, HOPS, MGC161443, MGC167935, TNAP, TNSALP

Gene Description	alkaline phosphatase, liver/bone/kidney
Omim ID	146300 171760 241500 241510
Gene Ontology	Hyperlink
Gene Summary	<p>There are at least four distinct but related alkaline phosphatases: intestinal, placental, placental-like, and liver/bone/kidney (tissue non-specific). The first three are located together on chromosome 2, while the tissue non-specific form is located on chromosome 1. The product of this gene is a membrane bound glycosylated enzyme that is not expressed in any particular tissue and is, therefore, referred to as the tissue-nonspecific form of the enzyme. The exact physiological function of the alkaline phosphatases is not known. A proposed function of this form of the enzyme is matrix mineralization; however, mice that lack a functional form of this enzyme show normal skeletal development. This enzyme has been linked directly to hypophosphatasia, a disorder that is characterized by hypercalcemia and includes skeletal defects. The character of this disorder can vary, however, depending on the specific mutation since this determines age of onset and severity of symptoms. Alternatively spliced transcript variants, which encode the same protein, have been identified for this gene. [provided by RefSeq]</p>
Other Designations	OTTHUMP00000002971 OTTHUMP00000002972 alkaline phosphatase, tissue-nonspecific isozyme alkaline phosphomonoesterase glycerophosphatase liver/bone/kidney-type alkaline phosphatase tissue non-specific alkaline phosphatase tissue-nonspecific ALP

Pathway

- [Folate biosynthesis](#)
- [gamma-Hexachlorocyclohexane degradation](#)
- [Metabolic pathways](#)

Disease

- [Alzheimer disease](#)
- [Cardiovascular Diseases](#)
- [Chondrocalcinosis](#)
- [Diabetes Complications](#)
- [Fractures](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)

- [Hypophosphatasia](#)
- [Kidney Failure](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Spondylitis](#)
- [Tobacco Use Disorder](#)