


CD9 monoclonal antibody, clone CED-3


Catalog # MAB19855 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of (1)HACAT cell lysate ;(2)HepG2 cell lysate with CD9 monoclonal antibody.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of paraffin-embedded human tonsil with CD9 monoclonal antibody.

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human CD9.
Immunogen	A synthetic peptide corresponding to human CD9.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Affinity purification
Isotype	lgG



Recommend Usage	Flow Cytometry (1:50)
	Immunocytochemistry (1:50-1:200)
	Immunofluorescence (1:50-1:200)
	Immunohistochemistry (1:50-1:200)
	Immunoprecipitation (1:50)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instruction	Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and st ored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of (1)HACAT cell lysate ;(2)HepG2 cell lysate with CD9 monoclonal antibody.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
 Immunohistochemical staining of paraffin-embedded human tonsil with CD9 monoclonal antibody.
- Immunocytochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytometry

Gene Info — CD9		
Entrez GenelD	<u>928</u>	
Protein Accession#	P21926	
Gene Name	CD9	
Gene Alias	5H9, BA2, BTCC-1, DRAP-27, GIG2, MIC3, MRP-1, P24, TSPAN29	



Product Information

CD9 molecule
143030
<u>Hyperlink</u>
The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known a s the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins and other transmembrane 4 superfamily proteins. It can modulate cell adhesion and migration and also trigger platelet activation and aggregation. In addition, the protein appears to promote muscle cell fusion and support myotube maintenance. [provided by RefSeq
5H9 antigen CD9 antigen CD9 antigen (p24) OTTHUMP00000041574 OTTHUMP00000041576 antigen defined by monoclonal antibody 602-29 growth-inhibiting gene 2 protein leukocyte antigen MIC3 motility related protein motility related protein-1 p24 antigen

Pathway

• Hematopoietic cell lineage

Disease

- Alzheimer disease
- Cardiovascular Diseases
- Diabetes Complications
- Infertility
- Metabolic Syndrome X
- Neoplasms
- Osteoporosis