

HNRNPA1 monoclonal antibody, clone ABEC-8

Catalog # MAB20173 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of HepG2 cell lysate.

| Specification | |
|---------------------|---|
| Product Description | Rabbit monoclonal antibody raised against synthetic peptide of human HNRNPA1. |
| Immunogen | A synthetic peptide corresponding to human HNRNPA1. |
| Host | Rabbit |
| Reactivity | Human, Mouse, Rat |
| Form | Liquid |
| Purification | Affinity purification |
| Isotype | lgG |
| Recommend Usage | Flow Cytometry (1:50) |
| | Immunocytochemistry (1:50-200) |
| | Immunofluorescence (1:50-200) |
| | Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-200) |
| | Western Blot (1:500-2000) |
| | The optimal working dilution should be determined by the end user. |
| Storage Buffer | In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide). |



Product Information

| Storage Instruction | Store at -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and st ored frozen at -20°C for a longer time. Avoid repeated freezing and thawing. |
|---------------------|--|
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

Applications

Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of HepG2 cell lysate.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)
- Immunocytochemistry
- Immunofluorescence
- Flow Cytometry

| Gene Info — HNRNPA1 | |
|---------------------|--|
| Entrez GeneID | <u>3178</u> |
| Protein Accession# | <u>P09651</u> |
| Gene Name | HNRNPA1 |
| Gene Alias | HNRPA1, MGC102835 |
| Gene Description | heterogeneous nuclear ribonucleoprotein A1 |
| Omim ID | <u>164017</u> |
| Gene Ontology | <u>Hyperlink</u> |
| | |



Product Information

Gene Summary

This gene belongs to the A/B subfamily of ubiquitously expressed heterogeneous nuclear ribonucl eoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with heterogeneo us nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and app ear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. Wh ile all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and th e cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encod ed by this gene has two repeats of quasi-RRM domains that bind to RNAs. It is one of the most ab undant core proteins of hnRNP complexes and it is localized to the nucleoplasm. This protein, alo ng with other hnRNP proteins, is exported from the nucleus, probably bound to mRNA, and is imm ediately re-imported. Its M9 domain acts as both a nuclear localization and nuclear export signal. The encoded protein is involved in the packaging of pre-mRNA into hnRNP particles, transport of poly A+ mRNA from the nucleus to the cytoplasm, and may modulate splice site selection. It is als o thought have a primary role in the formation of specific myometrial protein species in parturition. Multiple alternatively spliced transcript variants have been found for this gene but only two transcri pts are fully described. These variants have multiple alternative transcription initiation sites and m ultiple polyA sites. [provided by RefSeq

Other Designations

helix-destabilizing protein|heterogeneous nuclear ribonucleoprotein A1B protein|heterogeneous nuclear ribonucleoprotein B2 protein|heterogeneous nuclear ribonucleoprotein core protein A1|nuclear ribonucleoprotein particle A1 protein|single-strand DNA-bind

Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema