


NDRG1 (phospho T346) monoclonal antibody, clone F5 (PE)

Catalog # MAB21595 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of THP1 cells with NDRG1 (phospho T346) monoclonal antibody, clone F5 (PE) (Cat # MAB21595). Unstained and untreated as negative control (blue) or stained and untreated (red) or stained and treated with IFNa plus IL-4 and pervanadate (green).

Specification	
Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human NDRG1.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding T346 of human NDRG1.
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	PE
Purification	Protein A/G purification
Isotype	lgG1, kappa
Recommend Usage	Flow Cytometry (5 uL/10 ⁶ cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).
Storage Instruction	Store at 4°C.



Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

Flow Cytometry

Flow cytometric analysis of THP1 cells with NDRG1 (phospho T346) monoclonal antibody, clone F5 (PE) (Cat # MAB21595). Unstained and untreated as negative control (blue) or stained and untreated (red) or stained and treated with IFNa plus IL-4 and pervanadate (green).

Gene Info — NDRG1	
Entrez GeneID	10397
Protein Accession#	Q92597
Gene Name	NDRG1
Gene Alias	CAP43, CMT4D, DRG1, GC4, HMSNL, NDR1, NMSL, PROXY1, RIT42, RTP, TARG1, TDD5
Gene Description	N-myc downstream regulated 1
Omim ID	601455 605262
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein involved in stres s responses, hormone responses, cell growth, and differentiation. It is necessary for p53-mediate d caspase activation and apoptosis. Mutation in this gene has been reported to be causative for h ereditary motor and sensory neuropathy-Lom. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq
Other Designations	differentiation-related gene 1 protein nickel-specific induction protein Cap43 protein regulated by oxygen-1 reducing agents and tunicamycin-responsive protein tunicamycin-responsive protein

Disease

- Alzheimer disease
- Charcot-Marie-Tooth Disease
- Cognition



- Colorectal Neoplasms
- Deafness
- Genetic Predisposition to Disease
- Tobacco Use Disorder