


RecomAb™

CAV1 monoclonal antibody, clone RM325


Catalog # MAB21969 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of HeLa cell lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human liver.

Specification

Product Description	Rabbit recombinant monoclonal antibody raised against human CAV1.
Antibody Species	Rabbit
Immunogen	Original antibody is raised against a synthetic peptide corresponding to C-terminus of human CAV1.
Reactivity	Human
Specificity	This antibody reacts to human Caveolin-1.
Form	Liquid

Purification	Protein A purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:500-1000) Western Blot (1:5000-40000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (50% glycerol, 1% BSA, 0.09% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of HeLa cell lysate.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human liver.

Gene Info — CAV1

Entrez GeneID	857
Gene Name	CAV1
Gene Alias	BSCL3, CAV, CGL3, MSTP085, VIP21
Gene Description	caveolin 1, caveolae protein, 22kDa
Omim ID	601047
Gene Ontology	Hyperlink
Gene Summary	The scaffolding protein encoded by this gene is the main component of the caveolae plasma membranes found in most cell types. The protein links integrin subunits to the tyrosine kinase FYN, an initiating step in coupling integrins to the Ras-ERK pathway and promoting cell cycle progression. The gene is a tumor suppressor gene candidate and a negative regulator of the Ras-p42/44 MAP kinase cascade. CAV1 and CAV2 are located next to each other on chromosome 7 and express colocalizing proteins that form a stable hetero-oligomeric complex. By using alternative initiation codons in the same reading frame, two isoforms (alpha and beta) are encoded by a single transcript from this gene. [provided by RefSeq]

Other Designations

OTTHUMP00000025031|caveolae protein, 22-kD|caveolin 1|caveolin 1 caveolae protein, 22kD|caveolin 1, alpha isoform|caveolin 1, beta isoform|caveolin-1 beta isoform protein|cell growth-inhibiting protein 32

Pathway

- [Focal adhesion](#)

Disease

- [Alzheimer disease](#)
- [Amyotrophic lateral sclerosis](#)
- [Anoxia](#)
- [Arrhythmias](#)
- [Atherosclerosis](#)
- [Atrial Fibrillation](#)
- [Atrioventricular Block](#)
- [Breast Neoplasms](#)
- [Calcinosis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Fibrosis](#)
- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)

- [Head and Neck Neoplasms](#)
- [Hypertension](#)
- [Liver Cirrhosis](#)
- [Lung Neoplasms](#)
- [Metabolic Syndrome X](#)
- [Multiple Sclerosis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Sick Sinus Syndrome](#)
- [Thrombosis](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)