


APC monoclonal antibody, clone FAD-1


Catalog # MAB22023 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot analysis of 293T cell lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human colon cancer.

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic peptide of human APC.
Immunogen	A synthetic peptide corresponding to human APC.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Affinity purification

Isotype	IgG
Recommend Usage	Immunofluorescence (1:50-1:200) Immunohistochemistry (1:50-1:200) Immunoprecipitation (1:50) Western Blot (1:500-1:2000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide).
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western Blot analysis of 293T cell lysate.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human colon cancer.

- Immunofluorescence

- Immunoprecipitation

Gene Info — APC

Entrez GeneID	324
Protein Accession#	P25054
Gene Name	APC
Gene Alias	BTPS2, DP2, DP2.5, DP3, GS
Gene Description	adenomatous polyposis coli
Omim ID	135290 137215 155255 175100 276300
Gene Ontology	Hyperlink

Gene Summary

This gene encodes a tumor suppressor protein that acts as an antagonist of the Wnt signaling pathway. It is also involved in other processes including cell migration and adhesion, transcriptional activation, and apoptosis. Defects in this gene cause familial adenomatous polyposis (FAP), an autosomal dominant pre-malignant disease that usually progresses to malignancy. Disease-associated mutations tend to be clustered in a small region designated the mutation cluster region (MCR) and result in a truncated protein product. [provided by RefSeq]

Other Designations

adenomatosis polyposis coli tumor suppressor

Pathway

- [Basal cell carcinoma](#)
- [Colorectal cancer](#)
- [Endometrial cancer](#)
- [Pathways in cancer](#)
- [Regulation of actin cytoskeleton](#)
- [Wnt signaling pathway](#)

Disease

- [Adenocarcinoma](#)
- [Adenoma](#)
- [Adenomatous Polyposis Coli](#)
- [Adenomatous Polyps](#)
- [Autistic Disorder](#)
- [Barrett Esophagus](#)
- [Bone Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)

- [Cell Transformation](#)
- [Chromosomal Instability](#)
- [Chromosome Aberrations](#)
- [Chromosome Deletion](#)
- [Colitis](#)
- [Colon cancer](#)
- [Colonic Neoplasms](#)
- [Colonic Polyps](#)
- [Colorectal Neoplasms](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Duodenal Neoplasms](#)
- [Edema](#)
- [Ependymoma](#)
- [Epidermal Cyst](#)
- [Esophageal Neoplasms](#)
- [Fibromatosis](#)
- [Gardner Syndrome](#)
- [Gastroesophageal Reflux](#)
- [Genetic Predisposition to Disease](#)
- [Helicobacter Infections](#)
- [Hyperplasia](#)
- [Inflammatory Bowel Diseases](#)
- [Intestinal Polyps](#)
- [Jejunal Neoplasms](#)

- [Kidney Failure](#)
- [Lung carcinoma](#)
- [Lung Neoplasms](#)
- [Metaplasia](#)
- [Microsatellite Instability](#)
- [Multiple Organ Failure](#)
- [Neoplasm Invasiveness](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Osteoma](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Psychiatric Status Rating Scales](#)
- [Pulmonary Disease](#)
- [Rectal Neoplasms](#)
- [Stomach Neoplasms](#)
- [Syndrome](#)
- [Systemic Inflammatory Response Syndrome](#)
- [Tay-Sachs disease](#)
- [Urinary Bladder Neoplasms](#)

- [Werner syndrome](#)