


JAK1 (phospho Y1022/1023) monoclonal antibody, clone F11 (FITC)

Catalog # MAB23536 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of Jurkat cells with JAK1 (phospho Y1022/1023) monoclonal antibody, clone F11 (Cat # MAB23536). Unstained as negative control (blue) or untreated (red) or treated with IFN alpha + IL-4 + pervanadate (green).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human JAK1.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding Y1022/1023 of human JAK1.
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	FITC
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (5 μ L/ 10^6 cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).

Storage Instruction

Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Flow cytometric analysis of Jurkat cells with JAK1 (phospho Y1022/1023) monoclonal antibody, clone F11 (Cat # MAB23536). Unstained as negative control (blue) or untreated (red) or treated with IFN alpha + IL-4 + pervanadate (green).

Gene Info — JAK1

Entrez GeneID

[3716](#)

Protein Accession#

[P23458](#)

Gene Name

JAK1

Gene Alias

JAK1A, JAK1B, JTK3

Gene Description

Janus kinase 1 (a protein tyrosine kinase)

Omim ID

[147795](#)

Gene Ontology

[Hyperlink](#)

Gene Summary

Janus kinase 1 (JAK1), is a member of a new class of protein-tyrosine kinases (PTK) characterized by the presence of a second phosphotransferase-related domain immediately N-terminal to the PTK domain. The second phosphotransferase domain bears all the hallmarks of a protein kinase, although its structure differs significantly from that of the PTK and threonine/serine kinase family members. JAK1 is a large, widely expressed membrane-associated phosphoprotein. JAK1 is involved in the interferon-alpha/beta and -gamma signal transduction pathways. The reciprocal interdependence between JAK1 and TYK2 activities in the interferon-alpha pathway, and between JAK1 and JAK2 in the interferon-gamma pathway, may reflect a requirement for these kinases in the correct assembly of interferon receptor complexes. These kinases couple cytokine ligand binding to tyrosine phosphorylation of various known signaling proteins and of a unique family of transcription factors termed the signal transducers and activators of transcription, or STATs. [provided by RefSeq]

Other Designations

OTTHUMP00000010896|janus kinase 1

Pathway

- [Jak-STAT signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)

Disease

- [Asthma](#)
- [Bronchiolitis](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis B](#)
- [Hepatitis C](#)
- [HIV Infections](#)
- [Infant](#)
- [Leukemia](#)
- [Leukemia-Lymphoma](#)
- [Liver Cirrhosis](#)
- [Liver Neoplasms](#)
- [Lymphoproliferative Disorders](#)
- [Multiple Sclerosis](#)
- [Myelodysplastic Syndromes](#)
- [Myelofibrosis](#)

- [Neoplasms](#)
- [Neutropenia](#)
- [Polycythemia Vera](#)
- [Precursor T-Cell Lymphoblastic Leukemia-Lymphoma](#)
- [Respiratory Syncytial Virus Infections](#)
- [Thrombocytopenia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Viremia](#)