


PKCG (phospho T514) monoclonal antibody, clone PF4 (PE)

Catalog # MAB23563 Size 100 Reactions

Applications



Flow Cytometry

Flow cytometric analysis of HT1080 cells with PKCG (phospho T514) monoclonal antibody, clone PF4 (PE) (Cat # MAB23562). Treated with staurosporine (red) or untreated (green). Concentration matched isotype control Cat #2142 for treated with staurosporine (black) or untreated (blue).

Specification

Product Description	Rabbit monoclonal antibody raised against synthetic phosphopeptide of human PKC gamma.
Immunogen	A synthetic phosphopeptide corresponding to residues surrounding T514 of human PKC gamma.
Host	Rabbit
Reactivity	Human
Form	Liquid
Conjugation	PE
Purification	Protein A/G purification
Isotype	IgG1, kappa
Recommend Usage	Flow Cytometry (5 μ L/ 10^6 cells) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (0.2% BSA, 0.09% sodium azide).
Storage Instruction	Store at 4°C.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Flow Cytometry

Flow cytometric analysis of HT1080 cells with PKCG (phospho T514) monoclonal antibody, clone PF4 (PE) (Cat # MAB23562). Treated with staurosporine (red) or untreated (green). Concentration matched isotype control Cat #2142 for treated with staurosporine (black) or untreated (blue).

Gene Info — PRKCG

Entrez GeneID [5582](#)

Protein Accession# [P17252 P05771 P05771-2 Q05655 Q02156 P24723 P05129 Q04759](#)

Gene Name PRKCG

Gene Alias MGC57564, PKC-gamma, PKCC, PKCG, SCA14

Gene Description protein kinase C, gamma

Omim ID [176980 605361](#)

Gene Ontology [Hyperlink](#)

Gene Summary Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. This protein kinase is expressed solely in the brain and spinal cord and its localization is restricted to neurons. It has been demonstrated that several neuronal functions, including long term potentiation (LTP) and long term depression (LTD), specifically require this kinase. Knockout studies in mice also suggest that this kinase may be involved in neuropathic pain development. Defects in this protein have been associated with neurodegenerative disorder spinocerebellar ataxia-14 (SCA14). [provided by RefSeq]

Other Designations -

Pathway

- [Calcium signaling pathway](#)

- [ErbB signaling pathway](#)
- [Fc gamma R-mediated phagocytosis](#)
- [Focal adhesion](#)
- [Gap junction](#)
- [Glioma](#)
- [Leukocyte transendothelial migration](#)
- [Long-term depression](#)
- [Long-term potentiation](#)
- [MAPK signaling pathway](#)
- [Melanogenesis](#)
- [Natural killer cell mediated cytotoxicity](#)
- [Non-small cell lung cancer](#)
- [Pathways in cancer](#)
- [Phosphatidylinositol signaling system](#)
- [Tight junction](#)
- [Vascular smooth muscle contraction](#)
- [VEGF signaling pathway](#)
- [Vibrio cholerae infection](#)
- [Wnt signaling pathway](#)

Disease

- [Antisocial Personality Disorder](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Cardiovascular Diseases](#)
- [Conduct Disorder](#)
- [Depressive Disorder](#)

- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Inhibition \(Psychology\)](#)
- [Liver Cirrhosis](#)
- [Spinocerebellar ataxia](#)
- [Spinocerebellar Ataxias](#)
- [Substance-Related Disorders](#)