

# LAMA4 monoclonal antibody, clone 652C4

Catalog # MAB3752

Size 100 uL

## Specification

**Product Description** Mouse monoclonal antibody raised against partial recombinant LAMA4.

**Immunogen** Recombinant protein corresponding to G1-3 regions of human LAMA4.

**Host** Mouse

**Reactivity** Human

**Specificity** Reacts with laminin alpha4 subunit.

**Form** Liquid

**Isotype** IgG1

**Recommend Usage** Immunohistochemistry (Frozen sections) (1:100-1:300)  
The optimal working dilution should be determined by the end user.

**Storage Buffer** In ascites

**Storage Instruction** Store at 4°C. For long term storage store at -20°C.  
Aliquot to avoid repeated freezing and thawing.

## Applications

- Immunohistochemistry (Frozen sections)

## Gene Info — LAMA4

**Entrez GeneID** [3910](#)

**Gene Name** LAMA4

**Gene Alias** DKFZp686D23145, LAMA3, LAMA4\*-1

Gene Description	laminin, alpha 4
Omim ID	<a href="#">600133</a>
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	<p>Laminins, a family of extracellular matrix glycoproteins, are the major noncollagenous constituent of basement membranes. They have been implicated in a wide variety of biological processes including cell adhesion, differentiation, migration, signaling, neurite outgrowth and metastasis. Laminins are composed of 3 non identical chains: laminin alpha, beta and gamma (formerly A, B1, and B2, respectively) and they form a cruciform structure consisting of 3 short arms, each formed by a different chain, and a long arm composed of all 3 chains. Each laminin chain is a multidomain protein encoded by a distinct gene. Several isoforms of each chain have been described. Different alpha, beta and gamma chain isomers combine to give rise to different heterotrimeric laminin isoforms which are designated by Arabic numerals in the order of their discovery, i.e. alpha1beta1gamma1 heterotrimer is laminin 1. The biological functions of the different chains and trimer molecules are largely unknown, but some of the chains have been shown to differ with respect to their tissue distribution, presumably reflecting diverse functions in vivo. This gene encodes the alpha chain isoform laminin, alpha 4. The domain structure of alpha 4 is similar to that of alpha 3, both of which resemble truncated versions of alpha 1 and alpha 2, in that approximately 1,200 residues at the N-terminus (domains IV, V and VI) have been lost. Laminin, alpha 4 contains the C-terminal G domain which distinguishes all alpha chains from the beta and gamma chains. The RNA analysis from adult and fetal tissues revealed developmental regulation of expression, however, the exact function of laminin, alpha 4 is not known. Tissue-specific utilization of alternative polyA-signal has been described in literature. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq]</p>
Other Designations	OTTHUMP00000017039 OTTHUMP00000017043 laminin alpha 4 chain

## Pathway

- [ECM-receptor interaction](#)
- [Focal adhesion](#)
- [Pathways in cancer](#)
- [Small cell lung cancer](#)

## Disease

- [Cleft Lip](#)
- [Cleft Palate](#)
- [Coronary Artery Disease](#)

- [Genetic Predisposition to Disease](#)
- [Tooth Abnormalities](#)