


Ptpcr exon B-dependent form monoclonal antibody, clone C363.16A (FITC)

Catalog # MAB5731 Size 100 ug

Applications



Flow Cytometry

BALB/c splenocytes were double-stained with Ptpcr exon B-dependent form monoclonal antibody, clone C363.16A (PE) and rat anti-mouse CD8a-FITC. Small lymphocytes were then gated and analyzed on a FACScan™ flow cytometer (BDIS, San Jose, CA).

Specification

Product Description Rat monoclonal antibody raised against Ptpcr exon B-dependent form.

Immunogen Cloned mouse Th2 cell lines.

Host Rat

Reactivity Mouse

Specificity An exon B-dependent epitope of CD45 glycoprotein.

Form Liquid

Conjugation FITC

Isotype IgG2a, kappa

Recommend Usage Flow Cytometry (1 ug/10⁶ cells)
The optimal working dilution should be determined by the end user.

Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store in the dark at 4°C. Do not freeze. Avoid prolonged exposure to light. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunoprecipitation
- Flow Cytometry

BALB/c splenocytes were double-stained with Ptpcr exon B-dependent form monoclonal antibody, clone C363.16A (PE) and rat anti-mouse CD8a-FITC. Small lymphocytes were then gated and analyzed on a FACScan™ flow cytometer (BDIS, San Jose, CA).

Gene Info — Ptpcr

Entrez GeneID	19264
Gene Name	Ptpcr
Gene Alias	B220, CD45R, Cd45, Ly-5, Lyl-4, T200, loc
Gene Description	protein tyrosine phosphatase, receptor type, C
Gene Ontology	Hyperlink
Gene Summary	receptor type
Other Designations	lymphocyte common antigen

Publication Reference

- [Expression of variable exon A-, B-, and C-specific CD45 determinants on peripheral and thymic T cell populations.](#)

Hathcock KS, Laszlo G, Dickler HB, Sharrow SO, Johnson P, Trowbridge IS, Hodes RJ.

Journal of Immunology 1992 Jan; 148(1):19.

Application: Flow Cyt, Human, Human T cells

- [A monoclonal antibody to murine CD45R distinguishes CD4 T cell populations that produce different cytokines.](#)

Bottomly K, Luqman M, Greenbaum L, Carding S, West J, Pasqualini T, Murphy DB.

European Journal of Immunology 1989 Apr; 19(4):617.

Application: Flow Cyt, Mouse, Mouse CD4+ T cells, splenic lymphocytes

- [Identification of the alternatively spliced exons of murine CD45 \(T200\) required for reactivity with B220 and other T200-restricted antibodies.](#)

Johnson P, Greenbaum L, Bottomly K, Trowbridge IS.

The Journal of Experimental Medicine 1989 Mar; 169(3):1179.

Application: Flow Cyt, Mouse, Ψ2 cells